



*Winner*


**Cover Sheet for Invitation to Bid  
Bid #1475 Police Motorcycles**

If you are submitting a Bid or a Response to a  
Request for Proposal, Please

1. Appropriately Label your documents in a sealed envelope or box;  
and
2. Deliver the sealed documents to the Office of the City Clerk;  
and
3. Be certain that your submittal is date and time stamped by the office of the City Clerk.

**Courier Delivery Address**  
1 East First Street, 2<sup>nd</sup> Floor Reno, NV 89505

**CITY OF RENO**  
Purchasing Division  
P.O. Box 1900  
Reno, NV 89505  
(775) 326-6658  
(775) 334-2409 fax  
[woodm@reno.gov](mailto:woodm@reno.gov)




Date: 05/12/2016

Invitation to Bid No.  
1475

THIS IS NOT AN ORDER

**INVITATION AND ADVERTISED INVITATION TO BID**

Sealed Bids will be received until 3:00 pm at the Office of the City Clerk, City Hall, 1 East First St., Reno, NV 89501 on 05/12/2016. Said Bids shall be publicly opened and names read aloud at 3:05 pm 05/12/2016.

  
Marcie Wood, Purchasing Technician

The City of Reno is currently accepting sealed Bids for Police Motorcycles. It is the express intent of this bid solicitation to award to the lowest responsive, responsible bidder(s) to provide equipment to the City of Reno. If the bidder proposes to provide equipment other than specified so as to make it conform to performance standards, a complete and detailed manufacturer's specifications must be included as part of the bid showing each proposed modification. All deviations from the specified product must be completely described. Attach more sheets and label appropriately if needed. The City of Reno shall determine if any substitutions submitted shall be deemed equivalent to the equipment specified within "NO SUBSTITUTIONS" category

This solicitation is made in compliance with Nevada Revised Statute 332. Any appeal and or Protest shall be in conformance with 332.068 and the protest requirements stated in this bid.

Technical questions and other assistance regarding this solicitation may be directed to Marcie Wood [woodm@reno.gov](mailto:woodm@reno.gov) and Zac Haffner, [haffnerz@reno.gov](mailto:haffnerz@reno.gov).

Per the attached Terms, Conditions, and Requirements

SIERRA BTW MOTORCYCLE  
Firm Name

1380 KLEPPE LANE  
Address

SPARKS  
City

NV 89431  
State Zip

775-355-0655  
Telephone

775-355-0651  
Fax

LANE@SIERRABTW.CO.T  
E-Mail

In compliance with this Invitation to Bid and subject to all Terms and Conditions thereof, the undersigned offers and agrees, if Bid is accepted, to furnish any or all of the items or services listed herein at the fees and terms stated. I also acknowledge receipt of 26 pages of this Invitation to Bid.

  
Signature

LANE SWALL  
Print Name

GENERAL MANAGER  
Print Title

**SUBMIT ONE (1) ORIGINAL AND THREE (3) COPIES OF SUBMISSION**

## Table of Contents

	Page
Invitation to Bid Process and Rules .....	4
1. Invitation to Bid Schedule .....	4
2. Questions/ Clarifications.....	4
3. Addendums .....	5
4. Exceptions.....	5
5. Invitation to Bid Receipt and Opening Time.....	5
6. Preparation of Bid .....	5
7. Submission of Invitation to Bid .....	6
8. Late Bid.....	7
9. Withdrawal of Bid.....	7
10. Joinder Provision .....	7
11. Quantities to be Serviced .....	7
12. Specifications.....	7
13. Specification Restrictions .....	7
14. Exceptions to Specifications.....	8
15. References.....	8
16. Guarantee/Warranty.....	8
17. Tax Exemption.....	8
18. Pricing.....	9
19. Discount and Payment Terms .....	9
20. Billing .....	9
21. Bid Evaluation .....	9
22. Cancellation .....	9
23. Termination.....	10
24. Assignment .....	10
References.....	11
General Terms and Conditions .....	12
1. Notice of Rights .....	12
2. Preparation of Bids .....	12
3. Award of Contract.....	13
4. Funding Out Clause .....	14
5. Default of Contract .....	14
6. Appeal by Unsuccessful Bidder.....	14
7. Bonds Required.....	16
8. Insurance Requirements.....	16
Exceptions.....	17
Disclosure of Principals .....	18
Police Motorcycle Specification Sheet .....	20

## INVITATION TO BID PROCESS AND RULES

### 1. Invitation to Bid Schedule

Schedule of Events	Date
BID Released	05/12/2016
Last Day to submit Questions	05/18/2016 3:00 pm
All Addendums to be posted to <a href="http://reno.gov">reno.gov</a> by	05/20/2016 5:00 pm
Sealed Proposals Due to City of Reno	05/24/2016 3:00 pm
Proposed Award Date by City Council	06/15/2016
Implementation	TBD

The City of Reno reserves the right to modify this schedule at The City's discretion. Notification of changes in the Invitation to Bid, due date, and deadline for questions will be posted on the City website at [reno.gov](http://reno.gov) or as otherwise stated herein. Changes in any other anticipated dates will not be released unless deemed necessary at the sole discretion of the City.

#### Description of Scheduled Events

Deadline For Questions – The deadline for any questions concerning the Invitation to Bid is 05/18/2016 at 3:00 pm local time (Reno). Any questions submitted after the deadline will not be responded to.

All Addendums to be posted by – All addendums to the Invitation to Bid shall be posted to the City's website at [reno.gov](http://reno.gov) no later than 5:00 p.m. local time (Reno) on 05/20/2016. All proposals submitted for this Invitation to Bid **must** have all addendums attached and acknowledged. Any proposal that does not include the addendums will be rejected.

Sealed proposal due to City – The due date for the sealed Invitation to Bid response is 05/24/2016 at 3:00 p.m. local time (Reno). All proposals received after the date and time set for receipt shall be disqualified from consideration and thus deemed rejected. The City will not consider or be responsible for errant delivery or late performance by courier service.

### 2. Questions/ Clarifications

Questions regarding the Invitation to Bid shall be directed to the Finance Department via e-mail at [woodm@reno.gov](mailto:woodm@reno.gov) in writing. Copy of any questions should also be sent to

[haffnerz@reno.gov](mailto:haffnerz@reno.gov) . Questions should be submitted in accordance with the Invitation to Bid Schedule. If any questions or responses require revision to this solicitation as originally published, such revisions will be by formal addendum only. If the solicitation includes a contact person for technical information, any oral or written representations made by this or any person shall not be relied upon unless subsequently ratified by a written addendum to this solicitation issued by the City. To determine whether any representations made require an amendment be issued, please contact Marcie Wood, Purchasing Technician, at (775) 326-6658.

### 3. Addendums

All addendums to this Invitation to Bid shall be issued by the City of Reno in writing. Material changes affecting the material or the bidder's cost estimate shall have no standing with the City of Reno if not sanctioned by written addendum.

### 4. Exceptions

A bidder who believes bid specifications are unnecessarily restrictive or limit competition may submit such, on the Exceptions page of this Bid documents. All Exceptions will be considered in the bid evaluation.

The City of Reno will promptly respond in writing to each written objection and where appropriate, issue all revisions, substitutions, or clarifications via addenda. Objections of technical or contractual requirements shall include the reason for the objections, supported by documented factual information, and any proposed changes to the requirements.

### 5. Invitation to Bid Receipt and Opening Time

It is mandatory the bids are **signed by a duly authorized representative of the firm**, time stamped and received at City of Reno City Clerk's Office no later than 3:00 pm, 05/24/2016.

**Late bids shall be disqualified from consideration.**

Sealed bids shall be opened at City of Reno Purchasing Division Offices at 3:05 pm, 05/24/2016.

### 6. Preparation of Bid

**Bidder shall examine all specifications, specific instructions, and terms and conditions of the Invitation to Bid. Failure to do so will be at Bidder's risk.**

Any addenda issued shall forthwith become an integral part of the bid. Bidder shall be required to acknowledge receipt of the same by signing and returning the addenda with the original bid document.

Bidder shall furnish the required information typed or written in ink.

The person signing the bid must initial erasures or other changes in ink.

In the space provided, a duly authorized representative of the bidding firm shall sign the bid document.

**Bidder shall proofread his bid carefully for errors.**

**Prices quoted shall be F.O.B. destination, within the Reno/Sparks general area and shall be inclusive of all costs and exclusive of Federal and State taxes.**

In the event of a difference between a unit price and the extended price, the unit price shall govern.

Technical specifications contained herein shall be considered "optimum". However, a bidder deviating from the specifications must specify in the exception section any and all exceptions. Failure to note exceptions shall be interpreted to convey that the bidder shall propose to perform in the manner described and/or specified in this bid solicitation. Alternate bid proposals shall be considered provided said alternate (s) are fully described and accompanied by brochures literature specifications or a combination thereof. The City's decision with respect to equivalents shall be final.

#### **7. Submission of Invitation to Bid**

**Bidder shall sign and return the ENTIRE BID DOCUMENT.**

Bids and addenda thereto shall be enclosed in a sealed envelope addressed to the City of Reno, City Clerks Office, P.O. Box 1900, Reno, NV 89505. Bids must be identified as **Police Motorcycles, Bid # 1475. Bidders are cautioned that the City postal pickup is one time per day at approximately 7:15 am. Bids that are not in the Postal Box for pickup on the due date shall be considered late. Bids may also be hand delivered or sent overnight delivery to Reno City Hall, 1 E 1<sup>st</sup> Street, 2<sup>nd</sup> Floor City Clerks Office, Reno NV 89501.**

In order for a bid to be considered, it shall be mandatory that the bid document be received and time-stamped at City of Reno, City Clerks Office no later than the receiving time specified in the bid document.

The City of Reno shall not be responsible for the premature opening of a bid, which is not properly addressed or identified.

A bid submitted by electronic telephone, telegraphic notice, or facsimile will not be accepted.

Prices offered shall **only** be considered if they are provided in the appropriate space(s) on the bid schedule. For consideration, any additions or deductions to the bid prices offered must be shown under the exception section of the bid. Extraneous numbers, prices, comments etc. appearing elsewhere on their bid shall be deemed to have no effect on the prices offered in the designated locations.

## **8. Late Bid**

A bid received after the receiving time specified shall be rejected and marked "LATE BID – DO NOT OPEN."

**BIDDERS NOTE THAT THE RECEIVING TIME IS DIFFERENT FROM THE OPENING TIME.**

## **9. Withdrawal of Bid**

A bid may be withdrawn by written or telegraphic notice, provided such a notice is received prior to the date and time set for the bid opening.

A request for withdrawal of bid received after the scheduled bid opening will not be considered.

## **10. Joinder Provision**

In accordance with the provisions of NRS 332.195, certain other public entities may participate in this joinder procedure for agreements unless otherwise stipulated under the exceptions section of this bid, other local governmental agencies may join in a resultant award from this Invitation to Bid with the permission of the successful bidder and the City of Reno.

Any joinder entity shall have all the rights as stipulated for the required services in accordance with the procedures of the Accounting and Purchasing Departments of the public entities involved.

Within the scope of this Invitation to Bid, The City of Reno shall be held harmless in any and all transactions between the bidder and the other participating governmental entities.

The bidder shall acknowledge the joinder process and shall acknowledge The City of Reno as the situs of the bid procedure.

## **11. Quantities to be Serviced**

There shall be no guarantee as to the actual amount of material that is to be delivered during the period of time that this Invitation to Bid is in effect.

## **12. Specifications**

Please see Attachment A, Police Motorcycle Specification Sheet.

## **13. Specification Restrictions**

The herein contained technical information shall in no manner be construed as restrictive as to the manufacturer, process or point of origin. References appearing restrictive shall be deemed inadvertent or employed as a descriptive device to delineate as to the quality,

or configuration.

Offers made as an alternate to those specified shall be given consideration in the bid evaluation process PROVIDED said alternatives shall be fully described using brochures, specifications, literature, or any combination thereof, accompanying and deemed an integral portion of the bidder's response.

The City of Reno shall solely determine the acceptability of all offerings.

#### **14. Exceptions to Specifications**

Utilizing space provided on the Bid Schedule. Bidders shall note any and all exceptions to the specifications and/or terms and conditions contained herein. Submittal of a specification sheet alone shall not be considered sufficient notification of exceptions.

Failure to note exceptions on the Bid Schedule shall be interpreted that the bidder will perform in the manner described and/or specified in this Invitation to Bid.

The City of Reno reserves the right to accept or reject any and all alternatives or exceptions offered, based solely on the value of said alternatives or exceptions to the City of Reno

#### **15. References**

In the space provided in this bid, bidders shall provide verifiable references for **Police Motorcycles, Bid # 1475** as specified in this Invitation to Bid.

On the references listed please give the following information:

Name of entity

Name, phone number and contact person within the above listed organization

Type of product/service provided

Failure to provide references may result in rejection of the bidder's response

#### **16. Guarantee/Warranty**

The successful bidder shall agree to replace and or redo, at no cost to the City of Reno, any products or services purchased as a result of award of this Invitation to Bid, if that product/service is deemed unacceptable for any reason resulting from deviations from the specifications contained herein, or as a result of improper procedures, and/or improper handling by the successful bidder.

In the space provided on the Bid Schedule, bidder shall provide the nature and limitations of the guarantee/warranty that shall apply to **Police Motorcycles, Bid # 1475**.

#### **17. Tax Exemption**

The City of Reno is a tax exempt public entity and is not generally subject to federal excise, state, or local taxes. The City is specifically limited in its payment of sales tax per NRS 372.325. No additional taxes may be added or "passed through" as a result of any agreement.



## **18. Pricing**

In the space provided on the Bid Schedule, bidders shall provide prices for **Police Motorcycles, Bid # 1475**.

Pricing shall be inclusive of ALL COSTS such as per diem, travel time, hotel costs and all other expenses relating to the products/service purchased

Prices shall be exclusive of all Federal and State of Nevada sales, use and/or excise taxes.

## **19. Discount and Payment Terms**

Prompt payment discounts and payments and payment terms shall not be considered in recommending the bid award if less than twenty (20) days.

The City of Reno normal payment terms are "Net 30 days". If the bidder wishes to take exception with the terms as stated, an exception must be stated in the Exception Section of the Invitation to Bid.

The beginning of the discount and/or payable period will be computed from the date of satisfactory completion of services, and/or the date of receipt of a correct invoice by the City of Reno accounts payable department, whichever is later. Payment is deemed made as of the date on the City of Reno warrant.

## **20. Billing**

The successful bidder shall invoice the City of Reno and reflect the purchase order number, be itemized and show the name of the authorized individual who placed the order. Original or copy with authorized signature is required.

All original billings should be addressed to:

City of Reno  
P.O. Box 1900  
Reno, NV 89505  
Attention: Accounts Payable

A copy of the billing should also be sent to the ordering department.

## **21. Bid Evaluation**

Bids shall be evaluated with considerations being price, responses to questions posed within the bid document related to process, references and on the basis of conformance to specifications, terms and conditions of the invitation to Bid as stated herein. Additionally, further detail relating to the selection of a vendor is in Attachment A, Police Motorcycle Specification Sheet.

## **22. Cancellation**

The City of Reno reserves the right to cancel a resultant Agreement upon thirty (30) days

written notice.

Cancellation may occur in the event the type, quality and/or work is unsatisfactory to The City of Reno.

In the event successful bidder does not perform in an acceptable and/or satisfactory manner or is in default for whatever reason, the City of Reno reserves the right to cancel the resultant agreement and to assess cover charges for any difference between the original bid price and the cost to procure said product/service from an alternate source.

In the event that successful bidder shall default or is terminated for default, they shall not be considered a responsible bidder for **Police Motorcycles, Bid # 1475** and shall be recommended to the Reno City Council, for debarment from doing business with the City of Reno for at least one (1) year after the termination of the term of the defaulted agreement.

### **23. Termination**

The resultant contract may also be terminated upon thirty (30) days written notice by the City of Reno without cause.

### **24. Assignment**

No Assignment of any agreement resulting from this award of this bid shall be allowed, including the right to receive payment, without the express written permission of the City of Reno.

**This Section Left Intentionally Blank**

## REFERENCES

In the space provided below, bidders shall provide the name, address, telephone number and contact person of the customers for whom they have performed for as described in this Invitation to Bid.

Name, Address, Phone #, Contact Person

1. ERICH STRUNGE - CITY OF RENO  
PO BOX 1966 RENO, NV 89505  
P: 775-657-4577 F: 775-334-4222
2. GARY O'NEILL - CITY OF SOUTH LAKE TAHOE  
1907 AIRPORT RD, STE 201  
SOUTH LAKE TAHOE, CA 96150-7048  
P: 530-208-6340 F: 530-542-7950

Business License Number, Effective dates and Jurisdiction

CITY OF SPARKS, NV NO. 054663 EXP. 6/28/16

**Minority Status:** Has this firm been certified as a minority, women-owned or disadvantaged business enterprise by any governmental agency? \_\_\_ Yes ☒ No if yes, please specify government agency: \_\_\_\_\_

Date of certification: \_\_\_\_\_

The above is for information only. The City of Reno encourages minority business participation; however, no preference shall be given.

**Notice to disabled persons:** The City of Reno will make reasonable accommodations for disabled persons who wish to submit bids or attend a bid opening by contacting Marcie Wood prior to the bid opening date.

**Debarment and/or Suspension:** As required by Executive Order 12549, Debarment & Suspension, and implemented at 34CFR Part 85, the bidder certifies that it and its principals are not presently debarred, suspended, proposed for debarment, declared ineligible or voluntarily excluded from transactions with any Federal Department or Agency.

LANE SWALL - GT

Printed Name & Position



Signature

## GENERAL TERMS AND CONDITIONS

### 1. Notice of Rights

- The City of Reno reserves the right to reject any or all bids or any part thereof.
- The City of Reno reserves the right to waive any minor informalities or irregularities.
- The City of Reno reserves the right to require such surety as may be deemed necessary for the protection of the City of Reno, or to ensure the satisfactory performance of a contractor in accordance with the specifications and bid documents.
- The City of Reno reserves the right to withhold award for a period of ninety (90) days from the date of bid opening.
- The City of Reno reserves the right to award in whole or in part, by item, group of items, or by section where such action would serve the City's best interest. Bids identified on the basis of "All or Nothing" will be excluded from this provision.
- The City of Reno is a tax exempt public entity and is not subject to federal excise, state, or local taxes. No additional taxes may be added or "passed through".
- The City of Reno may require a full demonstration of any item bid at vendor's expense.

### 2. Preparation of Bids

- Bids must be submitted in accordance with any document attached hereto and made an integral part hereof.
- Bidders are expected to examine these documents carefully. Failure to do so will be at the bidder's risk.
- Bids should be proofread carefully for any errors.
- Any irregularities or lack of clarity in any of the bid documents attached hereto should be brought to the attention of the Purchasing Technician as soon as possible so that corrective addenda may be furnished to all bidders.
- Alterations/erasures must be crossed out and the corrections thereof printed in ink or typewritten adjacent thereto. Corrections must be initialed in ink by each person signing the bid.
- In the case of a difference between written words and figures, the amount stated in written words shall govern.
- In the case of a difference between a unit price and the extended price, the unit price shall govern.

All additions, deletions or exceptions are to be listed on the page marked as such. If there are none, print "NONE" and return the page with the submitted bid. Failure to return or sign the exception page will be presumed as no exceptions are being taken and all terms, conditions, and specifications are being met. **Any pricing information being offered MUST either be submitted on the bid document cost sheet or specifically detailed on the "Exception Page". Pricing information offered in other areas of the bid package WILL NOT be considered.**

For bidding assistance with this bid, contact Marcie Wood, Purchasing Technician at (775) 326-6658.

**Bidders shall note that alterations in the bid language shall be cause for bid rejection. If exceptions are taken or alternatives offered, complete descriptions must be shown separately.**

All prices quoted shall be F.O.B. destination. No additional charges for freight, packaging, handling, etc., shall be allowed.

Bidders are instructed to use City bid forms and complete the requested information fully, i.e., pricing, bid schedules, specification descriptions, exceptions, disclosure of principals, etc. Failure to do so may be cause for bid rejection. **If additional space is needed, attach additional sheets referencing the appropriate section.**

### **3. Award of Contract**

- A. The City of Reno will award the contract on the basis of the bid or bids most advantageous, in addition to price, the City may consider the following;
  - a. The ability, capacity and skill of the bidder to perform the contract or provide the service required;
  - b. Whether the bidder can perform the contract or provide the service promptly, and within the time specified without delay or interference;
  - c. The character, integrity, reputation judgment, experience and efficiency of the bidder;
  - d. The quality of performance on previous contract;
  - e. The previous compliance of laws by the bidder;
  - f. The financial responsibility of the bidder to perform the contract or provide the service;
  - g. The limitations of any license the bidder may be required to possess;
  - h. The quality, availability, and adaptability of the product or service;
  - i. The ability of the bidder to provide future maintenance and service;
  - j. The number and scope conditions attached to the bid;
  - k. The life-cycle, maintenance and performance of the equipment or product being offered; and
  - l. Or any other basis as allowed by law.
- B. A purchase order, mailed or otherwise furnished by the Purchasing Division to the successful bidder, is a binding contract without further action by either party.
- C. The Purchasing Division will notify all unsuccessful bidders of the bidding results, and will return with such notice any surety held for bonding.
- D. The resultant contract may not be assigned, transferred or delegated, along with any rights, obligations or duties without prior written consent of the City of Reno.
- E. The technical specifications contained herein shall be considered "optimum" to the standard material, and is not intended to restrict bids, evaluation of bids, and recommendation for award of the material to specific manufacturer or from a specific point of origin. Alternatives and/or exceptions to the specifications shall be given consideration in the resultant bid evaluation

**PROVIDED:**

1. Each alternative and/or exception shall be entered on separate sheets stating page number, item, and/or sub-item number and a detailed description of all items offered as alternatives or exceptions. However,
  2. The City of Reno shall reserve the right and privilege to accept or reject any or all bids offered, based solely on the judgment of City of Reno staff as to the value of the offers to the City of Reno.
- F. The resultant agreement may be extended at the discretion of the City if determined to be in the best interest of the using agency.
- G. Performance standards shall be construed that bidder shall be responsible for exercising the degree of skill and care customarily required by accepted professional practices and procedures to perform the contract subject to the City's final approval.

**4. Funding Out Clause**

In the event the City of Reno fails to obligate requisite funds for the ensuing fiscal year(s) for payment of amounts due against an agreement resulting from this Invitation to Bid, necessitating cancellation of the Agreement, the successful bidder(s) shall agree to hold the City of Reno free from any charge or penalty.

**5. Default of Contract**

- A. In case of default by the contractor (successful bidder), the City may procure the product(s) or service from other sources and hold the contractor responsible for any excess cost occasioned thereby.
- B. If necessity requires the use of materials or supplies not conforming to the specifications, they may be accepted and payment therefore shall be made at a proper adjustment in price.
- C. Default by the bidder in any manner including failure or refusal to furnish any product(s) or service at the price and/or the time specified in the bid may be considered cause to commence with proceedings against any surety held with the bid, or assess a penalty equal to five (5) percent of the total bid price.

**6. Appeal by Unsuccessful Bidder**

- A. Bidder may appeal a pending bid award prior to award by the Reno City Council as established in NRS 332.068.
- B. Bidder must submit a written appeal in accordance with the requirements set forth herein to the Purchasing Technician within five business days from the date of the letter notifying of intent to award the bid.
- C. The appellant must post a bond with the written appeal with good and solvent surety authorized to do business in the State of Nevada in an amount equal to 25% of the

value of the contract with the Purchasing Division in order to have their appeal heard by the City Council. Any and all bonds are subject to the approval of the Reno City Attorney. In the event the appeal is not upheld by the City Council, a claim may be made against the bond in an amount equal to the expenses incurred and other monetary losses suffered by the City because of the unsuccessful appeal.

- D. The route of appeal is the Assistant Finance Director, Finance Director and City Manager, or designee, and must be followed sequentially.
- E. No bid protests will be heard by the Reno City Council unless the bidder has followed the appeal process route.
- F. Claims against Protest Bonds:

The City shall not make a claim upon any bond or other security unless and until the basis of that claim is considered and approved by the City Council. The City may:

1. Claim its regular staff time and costs in processing, considering and/or defending against an award protest.
2. Claim any necessary extraordinary staff overtime incurred in processing, considering and/or defending against an award protest.
3. Claim the City Attorney's time and costs in processing, considering and/or defending against an award protest.
4. Claim any resulting fees and costs incurred to any independent contractors, consultants or contracted attorneys utilized in processing, considering and/or defending against an award protest.
5. Claim any lost expenditure savings, lost revenue and other consequential financial damages resulting from the protest's automatic stay of the award of a contract to a selected solicitation response.
6. Claim any lost gifts, lost grants or other lost government or private financial participation resulting from any delay caused by the protest's automatic stay of the award of a contract to a selected solicitation response.

G. Protest Bond Risk Inquiry—Procedure:

As soon as possible after an award protester has posted a protest bond or other security, the soliciting City department or agency shall provide a written non-binding estimate of the basis of potential claims unique to the circumstances of the contract award(s) stayed by the protest, without disclosing any bid information that must remain confidential until an award decision is final. From this estimate, the protester shall be responsible for calculating the risk(s) of proceeding with a protest to a final decision by the City Council. A protester may withdraw a protest in writing at any time prior to a decision of the City Council, but any withdrawal more than seven (7) calendar days after the issue date of the City's estimate of the basis of potential claims shall, upon City Council's approval of the claims, be subject to claims against the bond or other security of the withdrawing protestor prior to its return to the protester. At a minimum the estimate of the basis of potential claims shall include:

1. If relevant, the date the current contract expires.
2. If relevant, the rate per year paid (or revenue earned) on the current expiring contract.

3. If relevant, the cost per year to complete the solicitation's anticipated work with City staff, equipment and materials.
4. The date the stayed contract award would have begun in the absence of the protest and its anticipated term.
5. The estimated rate per year to be paid (or revenue earned) on the stayed contract award.
6. The rate per hour to be paid to any relevant independent contractors, consultants or contracted attorneys as a result of the protest.
7. An estimate of any anticipated staff time and costs in processing, considering and/or defending against the protest.
8. An estimate of necessary extraordinary employee overtime salary in processing, considering and/or defending against the protest
9. The rate per hour for City Attorney services and any estimated costs in processing, considering and/or defending against the protest.
10. Disclosure of the amounts of any gifts, grants or other government or private financial participation that might be lost due to the protest.
11. Disclosure of any known seasonal, labor, equipment or materials costs that are materially time-sensitive and might result in financial damages to the City due to the protest.
12. Disclosure of any other anticipated consequential financial damages

## **7. Bonds Required**

Each bid shall be accompanied by a certified or cashier's check, or **bid bond**, in the amount of five percent (5%) of the total amount bid, payable to the City of Reno, Nevada, as a penalty in the event the bidder does not, within ten (10) working days after receipt of written notice that the contract has been awarded, enter into a contract with the City of Reno in accordance with this bid. The successful bidder may be required to furnish a **performance bond** in the amount of one hundred percent (100%) of the contract insuring faithful performance of all terms of this bid. All bonds shall be subject to the approval of the Reno City Attorney.

## **8. Insurance Requirements**

Successful bidder(s) shall procure and maintain Comprehensive or Commercial General Liability Insurance (occurrence form) from a carrier licensed to do business in the State of Nevada with a Best rating of A.VII or above. Minimum acceptable policy limits shall be in an amount of not less than two million dollars (\$2,000,000.00), combined, single limit, occurrence based policy, in a form satisfactory to the City. A certificate of insurance evidencing said coverage shall be supplied by successful bidder upon request, naming the City as an Additional Insured under the liability policy. The liability policy shall contain a provision that such policy shall not be cancelled until at least thirty (30) days prior written notice of cancellation has been received by the City for any reason other than non-payment of premium and for non-payment of premium at least ten (10) days written notice.

Successful bidder(s) shall, upon request, deliver to City of Reno evidence of worker's compensation as required by the State of Nevada.



### EXCEPTIONS

Does the bidder take exception to any of the terms or conditions of this Invitation to Bid and attachment thereto, or specifications? ☒ Yes ☐ No If yes, please indicate the specific nature of the exception or clarification, in the space provided below. Attach additional sheet(s) if necessary.

PLEASE SEE ATTACHED

SIERRA BOW MOTORCYCLE

Firm Name

1380 KLEPPER LANE

Address

CITY SPARKS

State NV Zip 89431

Telephone 775-355-0655

Fax 775-355-0651

E-Mail LANE@SIERRABOWMOTORCYCLE.COM

Bidders Federal Tax ID # 88-0419802

(May be requested at a later date)

In compliance with this "Invitation to Bid" and subject to all Terms and Conditions thereof, the undersigned offers and agrees, if this bid is accepted to furnish any and all goods and services described herein at the prices, terms and delivery stated

Signature

Print Name LANE SWAN

Print Title GENERAL MANAGER

If further space is required, please attach additional sheets

# DISCLOSURE OF PRINCIPALS

Please print or type

SIERRA BMW MOTORCYCLE

Company Name

775-355-0655

Telephone Number with area code

1380 KLEPPS LANE

775-355-0651

Street Address

Facsimile Number with area code

SPARKS, NV 89431

88-0419802

City, State and Zip Code

Federal Tax Identification Number

## Names of Officers or Owners of Concern, Partnership, Etc

A.C. SWALL

Name

PRESIDENT

Official Capacity

2455 DUBLIN CT

RENO, NV 89509

Street Address

City, State and Zip Code

MARLEITH SWALL

COMPTROLLER

Name

Official Capacity

2455 DUBLIN CT

RENO, NV 89509

Street Address

City, State and Zip Code

LANE SWALL

GENERAL MANAGER

Name

Official Capacity

5855 SINGLE FOOT CT

SPARKS, NV 89436

Street Address

City, State and Zip Code

Name

Official Capacity

Street Address

City, State and Zip Code

Name

Official Capacity

Street Address

City, State and Zip Code

I/ we hereby certify the Instructions and Terms and Conditions have been read and agree to:

(Print)  
SIERRA BMW MOTORCYCLE  
1380 KLEPPE LN SPARKS, NV 89431

Address

775-355-0655

Phone


775-355-0651

Fax

Representative

LINE SWALE

Print Name



Signature

Vendor acknowledges

26

pages of this bid. Date

5/17/16

**This Section Left Intentionally Blank**

**ATTACHMENT A**  
**Police Motorcycle Specification**

The City of Reno, Purchasing Division is seeking to establish contracts to procure Police Motorcycles for the most current model years. The contract(s) will be for a two (2) year term, anticipated to begin June 15, 2016 with the option to renew up to an additional two (2) years, upon mutual agreement and if deemed to be in the best interest to the City.

Current model year police high performance motorcycles with all standard equipment, per the following specifications:

**FUEL:**

- a. All motorcycles shall be delivered with full fuel tanks.

**MILEAGE:**

- a. All motorcycles shall be delivered with less than twenty (20) miles on the odometer.

**MANUALS:**

- a. All motorcycles shall be delivered with the manufacturer's service/repair manual(s) on CD/DVD, USB Flash Drive or equivalent for the model offered.

**KEYS:**

- a. Two keys for each motorcycle shall be provided. No motorcycles shall be keyed alike.

**EMISSION CONTROL REGULATIONS AND SAFETY STANDARDS:**

- a. Motorcycles shall comply with all Federal and State of Nevada Emission Control Regulations and Safety Standards in effect at time of delivery to the City.

**STANDARD WARRANTY:**

- a. The successful Bidder shall guarantee all workmanship, materials, and equipment they have furnished for a minimum period of thirty-six (36) months or sixty thousand (60,000) miles commencing the date the City takes delivery. A copy of the warranty shall be submitted with this bid. If, during the warranty period, any defect or faulty materials are found, they shall immediately, upon notification by the City, proceed at Bidder's expense to replace and repair same, together with any damage to all finishes, fixtures, equipment, and furnishings that may be damaged as a result of the defect or faulty material.
- b. The successful bidder shall agree that any warranty or guarantee as provided for herein shall not be considered as the exclusive remedy of the governmental entity for any default in any respect by the bidder, but such warranty or guarantee shall be considered to be in addition to any right or remedy hereunder or allowed by law, equity or statute.

**FACTORY AUTHORIZED WARRANTY AND REPAIR FACILITY:**

- a. All bidders shall have a local authorized warranty and repair facility. The address of the facility must be identified on the Bid Schedule page. The facility must be established prior to the time of Bid Opening and must be staffed with personnel that are factory

trained for the repair of the items on this bid. The City reserves the right to inspect the facility prior to bid award.

**WARRANTY-COMPLETION OF REPAIRS:**

- a. If, during the warranty period, a motorcycle requires warranty-covered repairs, the repairs shall be completed within three working days after delivery to the repair facility. If the repair procedure is expected to exceed the (3) working day requirement, authorization must be obtained from the City within twenty-four (24) hours after the motorcycle has been delivered for repair.

**ENGINE:**

- a. Shall produce a minimum of 120 horsepower and 90 lb/ft of torque.
- b. Shall be four cycle and air/water cooled.
- c. Shall have a minimum of two cylinders.
- d. Shall have a minimum of four (4) valves per cylinder head.
- e. Shall be internally balanced.
- f. Shall be fuel injected with electronic engine management.
- g. Shall meet or exceed all federal and state emissions requirements.

**COOLING SYSTEM:**

- a. Shall be air/water precision cooled, thermostatically-controlled, with computer-controlled auxiliary fan drive.

**TRANSMISSION/CLUTCH AND DRIVE:**

- a. Transmission (gear box) shall be 6-speed constant mesh.
- b. Clutch shall be self-energizing wet, 8-plates, self-adjusting hydraulic.
- c. Transfer of power to rear wheel shall be through a driveshaft with integral torsion damper, traction control and ABS.

**BRAKES:**

- a. Front and rear brakes shall be separately controlled with integral ABS system.
- b. Front brakes shall be dual disc, floating brake discs, 320mm diameter, four-piston radial calipers.
- c. Rear brakes shall be single disc-type, 275mm, double-piston floating caliper.
- d. ABS shall include a lean-sensitive function.

**FRAME AND SUSPENSION:**

- a. The frame shall be designed specifically to accommodate the necessary police and support equipment including, but not limited to, faring, protection bars and saddle-bags.
- b. The suspension shall be adjustable and designed for police service.

**LOAD CAPACITY:**

- a. The load-carrying capacity of the motorcycle, as delivered, shall be no less than 440 pounds (including special equipment).

#### ELECTRICAL SYSTEM:

- a. Shall be 12 volt system with protection from overload or short circuits.
- b. Alternator shall be heavy duty three-phase 540 watt with auxiliary battery and power management.
- c. Shall be equipped with linked dual (2) battery system with ten (10) separately monitored equipment circuits. Police equipment shall be powered from auxiliary battery only when engine is off.
- d. Starting system shall be equipped with safety interlocks to prevent engine from starting when not in neutral with clutch engaged.
- e. Chassis shall be pre-wired for Police equipment.

#### LIGHTING SYSTEM:

- a. Headlight to be Halogen with a high beam indicator.
- b. Shall be equipped with wig-wag headlight function.
- c. Turn signals shall be self cancelling.
- d. Taillight and brake lights shall be high visibility LED type.
- e. Shall be equipped with all lights off switch.
- f. Shall be equipped with a map light and note pad holder.
- g. Blue lights shall be mounted on each side of the license plate bracket for identification purposes.

#### EMERGENCY LIGHTING SYSTEM:

- a. Shall be equipped with LED modular emergency lighting system with alternating flash sequence, channel segregation for front and rear.
- b. Lights shall be colored right side blue – left side red.
- c. Lights shall operate with ignition in the on or off position with an indicator displaying operation.
- d. Each front side shall have LED lights facing forward and to the side.
- e. Each rear side shall have LED lights facing rearward and facing to the side.
- f. Shall be equipped with integrated LED alley light function with selectable alternating wig-wag with emergency light operation.
- g. Shall be equipped with integrated cruise light function for front and rear facing LED lights to steady-burn at 10% power output.
- h. Shall be equipped with integrated LED take-down lights with selectable switch for steady-burn or wig-wag alternating flash with emergency light operation.

#### RADIO INSTALLATION

- a. The motorcycle shall be equipped with an electronic lock-release integrated radio box with wiring ports, ground plate and antenna mount.
- b. The motorcycle shall be equipped with a full radio suppression system.
- c. City of Reno shall supply radio wiring harness, mounting brackets and any associated equipment required for radio installation as approved by motorcycle manufacturer and radio manufacturer.
- d. Wiring harnesses, mounting brackets and associated radio equipment requiring installation at time of dealer assembly shall be installed by dealer at time of assembly. Installation shall be coordinated with and approved by City of Reno Radio Shop Technician.
- e. City of Reno will provide radio and complete final radio installation as approved by motorcycle manufacturer and radio manufacturer.

#### HANDLEBARS AND SWITCHES:

- a. Handlebar grips shall be heated.
- b. Shall be equipped with police switches that are easily operated by rider wearing gloves of waterproof sealed design.
- c. Switches shall be equipped with LED function indicators.

#### TIRES/WHEELS:

- a. Tires shall be designed and rated for high speed police service.
- b. Wheels shall be cast aluminum with MTH2 rim profile.

#### MIRRORS:

- a. Right and left side rearview mirrors are to be installed in such a manner to minimize vibration and shall be true image.

#### SPEEDOMETER/TACHOMETER/OTHER GAUGES:

- a. Shall be constructed and shock mounted so that the effects of motorcycle vibration does not affect accuracy or service life of the speedometer, tachometer or other gauges.
- b. Shall be constructed to reduce glare and reflections.
- c. Speedometer, tachometer or other gauges shall be illuminated.

#### PROTECTION BARS:

- a. Shall be equipped with corrosion-resistant stainless steel front and rear protection bar system.

#### FARING AND WINDSHEILD

- a. Shall be equipped with a frame-mounted faring.
- b. Shall be equipped with an electrically-adjustable windshield.
- c. Windshield shall be clear Lexan or approved equivalent.

#### COLOR:

- a. Shall be painted black and white.

#### SEAT:

- a. Seat shall be heated with rider controls.

#### CENTER STAND:

- a. Shall be frame-mounted manual or ride-off type.

#### SIDE STAND:

- a. The side stand shall be designed so that the motorcycle will remain upright and stable while parked unattended on varying paved road surfaces.

#### SIREN SYSTEM:

- a. Shall be equipped with a twin speaker three-tone siren system with wail, yelp, hyper-yelp, air-horn and public address (PA) system capable of producing 120 Db at 3 meters.

#### MUFFLERS:

- a. Shall meet legal sound restrictions.

**SADDLE BOXES:**

- a. Two law enforcement-type locking saddle boxes shall be installed, one on each side of the rear wheel. The top of the boxes must open to allow items to be loaded directly down into the boxes. Boxes shall be sealed against moisture and dirt.

**GUN MOUNT AND LOCK:**

- a. Shall be equipped with rear vertical shotgun mount and electronic gun lock.

**FLASHLIGHT HOLDER:**

- a. Shall be equipped with rear mounted flashlight holder.

**FUEL SHUTOFF:**

- a. Must be equipped with an automatic fuel shutoff when the engine is not running.

**FUEL TANK CAPACITY:**

- a. Shall have a minimum of six (6) gallons of usable fuel capacity and approximately one (1) gallon reserve fuel capacity.

**LEGAL REQUIREMENTS:**

- a. The motorcycle shall meet or exceed all requirements of the Federal Motor Vehicle Safety Standards in effect at the time of manufacturing.

**OTHER SAFETY EQUIPMENT:**

- a. Bidder will identify other safety features included in the motorcycle being offered for consideration.

**TRAINING:**

- a. Manufacturer/Dealer shall offer, at no additional expense to the City, a minimum of one (1) eight (8)-hour indoctrination training class upon initial delivery of motorcycles and a minimum of one (1) indoctrination class during the life of the motorcycles at the City's request.
- b. Manufacturer shall offer a service maintenance training course at their training facility at no additional expense to the City. Travel and accommodation expenses excluded.

Dealer to bid current year model police motorcycles. Price is to include complete set up and delivery. Dealer is to list equipment and accessories on the vehicles they are bidding as part of the sealed bid. Bidder is to provide current literature/specifications on vehicles being bid as well as a copy of the standard warranty.

The City of Reno may entertain any and all exceptions at its discretion. Bid or incentives exceptions MUST be noted on the Exceptions Page or attachment(s) for use in our final evaluation of this bid.

Green copy of Dealer's Report of Sale, plus Statement of Origin, shall be provided upon delivery.

**Warranty:** The successful bidder shall provide a minimum of 36 months, 60,000 mile warranty on each vehicle and its components to the City of Reno. The successful bidder shall agree that any warranty or guarantee as provided for herein or in the



specifications shall not be considered as the exclusive remedy of the governmental entity for any default in any respect by the bidder, but such warranty or guarantee shall be considered to be in addition to any right or remedy hereunder or allowed by law, equity or statute.

Bidder shall include a verifiable delivery date. Bidders shall hereby be advised that successful bidders shall be expected to adhere to delivery time shown. Each vehicle must be completely serviced by the successful bidder prior to delivery. Crankcase, differential and transmission must be filled to manufacturer's recommended capacity with the recommended type of lubricant when the vehicle arrives at the delivery destination.

**This Section Left Intentionally Blank**

## BID SCHEDULE

PLEASE INDICATE IF YOUR BID MEETS WITH THE POLICE MOTORCYCLE SPECIFICATIONS. YES \_\_\_\_\_ OR NO X IF NO, EXPLAIN EACH EXCEPTION ON THE EXCEPTIONS PAGE, PLEASE USE ADDITIONAL PAGES IF NEEDED.

INITIAL PURCHASE IS EXPECTED TO BE FOUR (4) MACHINES.

Motorcycle: Enforcement type with  
all standard equipment, per  
specifications listed in Attachment A:

BMW  
Make  
R1200RTP 2016  
Model

Quantity: 4 each

Proposed Price Bid per Unit \$ 26332.14  
TWENTY-SIX THOUSAND THREE HUNDRED THIRTY-TWO AND 14/100  
dollars and \_\_\_\_\_ cents each.

Total Bid \$ 105,328.56  
ONE-HUNDRED FIVE THOUSAND THREE HUNDRED TWENTY-EIGHT AND 56/100  
dollars and \_\_\_\_\_ cents.

30-90  
Delivery Days after receipt of order \_\_\_\_\_ Payment Discount 0 % \_\_\_\_\_ days/Net 0 days

Warranty Period: 36 months Warranty Coverage: ATTACHED

SIERRA BMW MOTORCYCLE Name of Local Authorized Warranty and

Repair Facility

Firm Name: SIERRA BMW MOTORCYCLE



City of Reno  
Purchasing Division  
P.O. Box 1900  
Reno, NV 89505

May 16, 2016

**Request for Bid 1475 – Police Motorcycles**

**All potential participants: Please note that for your qualifications to be considered, you must sign and attach this addendum to your response. Failure to do so may be cause for disqualification of your response.**

**Additional Information**

**Correction to Bid Document 1475**

*Page 2 of Bid Documents - Invitation to Bid Schedule*

**INVITATION AND ADVERTISED INVITATION TO BID**


Sealed Bids will be received until 3:00 pm at the Office of the City Clerk, City Hall, 1 East First St., Reno, NV 89501 on 05/24/2016. Said Bids shall be publicly opened and names read aloud at 3:05 pm 05/24/2016.

I LANE SWALL of SIERRA BMW MOTORCYCLE  
Print Name Firm Name

acknowledge receipt of Addenda #1 (1 pages) for Bid E1475 on 5/24/16  
Date

This addendum must be signed and returned with your documents.

Marcie Wood  
Purchasing Technician



City of Reno  
Purchasing Division  
P.O. Box 1900  
Reno, NV 89505

May 19, 2016

**Request for Bid 1475 – Police Motorcycles  
Addendum 2**

**All potential participants: Please note that for your qualifications to be considered, you must sign and attach this addendum to your response. Failure to do so may be cause for disqualification of your response.**

**Additional Information**

**Addition to Bid Document 1475**

*Page 21 of Bid Documents – Police Motorcycle Specification Sheet*

**INVITATION AND ADVERTISED INVITATION TO BID**

**FRAME AND SUSPENSION:**

- a. The frame shall be designed specifically to accommodate the necessary police and support equipment including, but not limited to, faring, protection bars and saddle-bags.
- b. The suspension shall be adjustable and designed for police service.
- c. Aluminum skid plates that attach to the engine will be included.

I LANE SWALL of SIERRA 37W MOTO CYCLE  
Print Name Firm Name

acknowledge receipt of Addenda #2 (1 pages) for Bid E1475 on 5/24/16  
Date

This addendum must be signed and returned with your documents.

Marcie Wood  
Purchasing Technician



**Motorcycles**

**City of Reno Bid #1475 Exceptions  
May 17, 2016**

**City of Reno Police Department - 2016 BMW R 1200 RTP Police Motorcycle**

**Performance Bond Fee\* – Please add \$810.00 per unit if Performance Bond is required (may be waived.)**

\*Performance Bond Fee may be waived if performance bond is not required. We respectfully request that past performance, as well as current and ongoing relationships, be considered in lieu of performance bond. If performance bond is required, please add \$810.00 to each unit total.

**Manuals** – a. Sierra BMW will provide one (1) Service/Repair Manual on CD/DVD, as paper manuals are no available from BMW Motorrad. Wiring Diagrams are not available. Many manuals and diagrams are also available at [www.bmwmc.net](http://www.bmwmc.net).

**Brakes** – d. ABS brakes are included, but "lean-sensitive" ABS is not available.

**Lighting System** – g. Blue ID lighth are included, but mounted above the license plate, in the rear light unit, rather than on each side of the license plate.

**Gun Mount and Lock** – one shotgun mount with lock per unit is requested per bid spec. - if needed, this item can be replaced with an "AR" mount with lock for an additional \$92.40 per unit.

**Training** – a. As BMW factory training becomes available, we will alert the fleet/agency directly. BMW Motorrad USA will also post the training information on [www.bmwmc.net](http://www.bmwmc.net). Training is typically paid for by BMW Motorrad USA; however, all other expenses associated with attending training are the responsibility of the fleet/agency. BMW Motorrad USA has training facilities in California and New Jersey.

**Items**

Sierra BMW Motorcycle Nevada Dealer #NV000024006 will submit for title to the State of Nevada on behalf of the City of Reno; however, it is the responsibility of the City of Reno to register the vehicle upon receipt of the Nevada Dealer Report of Sale.

Delivery time and model availability will depend on factory production schedule and US supply at the time of purchase order. Typically, we can deliver completed police units within 30 to 90 days depending upon season and factory production.

**WARRANTY SHALL BEGIN ON THE DATE THAT THE CITY OF RENO TAKES DELIVERY OF THE VEHICLE FROM SIERRA BMW. THIS DATE SHALL MATCH THE DATE ON THE STATE OF NEVADA DEALER REPORT OF SALE. THERE IS NOT AN OPTION AVAILABLE FROM THE MANUFACTURER TO DELAY OR DEFER THE WARRANTY START DATE.**

Sierra BMW Motorcycle · 1380 Kleppe Lane Sparks, Nevada 89431 · 775-355-0655 · [www.sierrabmw.com](http://www.sierrabmw.com)

"We specialize in CUSTOMER SERVICE."



www.sierrabmw.com



**Motorcycles**

Sierra BMW proudly powers police motors for the Reno PD, Sparks PD, Nevada Highway Patrol, North Las Vegas PD, South Lake Tahoe PD, Douglas County SO, and Washoe County SO.

**City of Reno Fleet Maintenance/Police Department  
May 24, 2016**

**City of Reno 2016 BMW R1200 RTP Police Motorcycle**

\$26302.89	Unit Motorcycle Price
\$29.25	State of Nevada Title Fee

<b>\$26332.14</b>	<b>Final Unit Total **/****</b>
<b>+ \$810.00</b>	<b>Performance Bond Fee per unit (may be waived) ****</b>

\*Delivery time and model availability will depend on factory production schedule and US supply at the time of purchase order. All additional, non-standard, factory installed options must be included within an agency purchase order prior to placing a new motorcycle order with Sierra BMW. BMW Limited Police Warranty begins on date of retail delivery.

\*\*Any law enforcement agency within the State of Nevada or California may adjoin this bid/contract while it remains open with the mutual consent of Sierra BMW. Sierra BMW reserves the right to deny agency participation in this group pricing package for any reason. **Pricing, options, and availability are subject to change at any time.**

\*\*\***ALL ORDERS ARE FOB SIERRA BMW MOTORCYCLE, SPARKS, NEVADA.**

\*\*\*\*Performance Bond Fee may be waived if performance bond is not required. We respectfully request that past performance, as well as current and ongoing relationships, be considered in lieu of performance bond. If performance bond is required, please add \$810.00 to each unit total.

Sierra BMW Motorcycle • 1380 Kleppe Lane Sparks, Nevada 89431 • 775-355-0655 • [www.sierrabmw.com](http://www.sierrabmw.com)

**"We specialize in CUSTOMER SERVICE."**

# R 1200 RT-P Motor Pricing Form

K52 SF



Revised 01-27-2015

Color	Option Code
1 Night Black & Alpine White III	753
0 Night Black (special order)	716
0 Alpine White III (special order)	751
0 Saphir Blue (Michigan State Police Blue)	755
0 Glacier Silver Metallic (South Carolina State Police)	N99

## Quotation:

Motorcycle

City of Reno - Fleet Maint. Police	Option Code	Retail Price	\$21,005.56
0 Dynamic ESA	191	\$983.53	\$0.00
0 Gear Shift Assist Pro	222	\$491.76	\$0.00
0 GPS Preparation	272	\$211.76	\$0.00
0 Dynamic Package (204, 219, 224)	238	\$414.12	\$0.00
0 Chrome Exhaust	350	\$155.29	\$0.00
0 Additional Fog Lights	562	\$569.41	\$0.00
0 Public Address Microphone	599	\$584.71	\$0.00
0 Fire Extinguisher	666	\$181.18	\$0.00
0 High Seat Black	610	\$0.00	\$0.00
0 Low Seat Black	776	\$0.00	\$0.00

Special Order Options Do Not  
Commit To Bids Without First  
Confirming Availability

## The Options Below are Standard Order Deck - Removal is only by Special Order - Option Delete

1 Heated Seat	518	\$164.71	\$164.71
1 Tire Pressure Monitoring	530	\$258.82	\$258.82
1 Cruise Control	538	\$362.35	\$362.35
1 Weather Protection	649	\$256.47	\$256.47

Qty	Item Description	BMW P/N	Order #	Retail	Total Retail
Per	Emergency Warning Lights (10)				
5	Red LED-X Light	63 17 2 361 718	5	\$122.81	\$614.07
5	Blue LED-X Light	63 17 2 361 719	5	\$122.81	\$614.07
0	Amber LED-X Light	63 17 2 361 720	0	\$122.81	\$0.00
0	White LED-X Light	63 17 2 361 721	0	\$132.71	\$0.00
	Rear Duplex Emergency Warning Light (1)				
0	Duplex LED-X Red / Red	63 17 2 361 728	0	\$392.00	\$0.00
0	Duplex LED-X Blue / Blue	63 17 2 361 729	0	\$428.68	\$0.00
1	Duplex LED-X Red / Blue	63 17 2 361 730	1	\$410.33	\$410.33
0	Duplex LED-X Blue / Amber	63 17 2 361 731	0	\$410.33	\$0.00
	Take-Down (4) Alley (2) TS (2) BT (2) Saddlebag Light (1)				
6	White Torus LED TDL/Alley	63 17 2 361 722	6	\$87.16	\$522.96
2	Auxiliary LED Turn Signals	63 17 2 361 725	2	\$82.52	\$165.04
2	Auxiliary LED Brake/Tail Light	63 17 2 361 726	2	\$64.19	\$128.37
1	Saddlebag LED Lights w/sensor switch	63 17 2 361 727	1	\$162.76	\$162.76

## Non-BMW Options or Additional Labor Operations Provided by Dealer

		\$0.00
	Per Ademdmum - Special Skid Plate Package (attached)	\$333.38
	Sierra BMW Motorcycle City of Reno Police Motorcycle Bid Discount	-\$1,000.00
	State of Nevada Title Fee	\$29.25
	*This pricing does not include any radio equipment or installation--all radio equipment to be provided by City of Reno.	\$0.00

Units	Total Price - Page 1	\$1,980.23
1	Total Price - Page 2	\$984.00
	Total Price - Page 3	\$0.00

Quotation valid for 60 days  
from date noted below.

5/24/2016

Dealer Basic Assembly / Preparation	\$	825.00
Motorcycle Freight		\$495.00
Total Retail Price per Unit with Options		\$26,332.14
0.00% State Sales Tax (if applicable)		\$0.00
Total Retail Price per Unit with Options		\$26,332.14

Note: Prices subject to change without notice. Always verify accuracy of part pricing before submitting quotations.



# R 1200 RT-P Motor Pricing Form

K52 SF

Quotation for:

City of Reno - Fleet Maint. Police

## Additional Accessories

Qty	Item Description	BMW P/N	Order #	Retail	Total Retail
Per	Additional Accessories				
<b>Dealer Installed Options</b>					
0	Hill Start Control - Enabling Code	77 23 8 536 874	0	\$324.08	\$0.00
0	Shift Assistant Pro (hardware)	23 41 8 536 884	0	\$520.67	\$0.00
0	Shift Assistant Pro - Enabling Code	13 61 8 545 879	0	\$74.52	\$0.00
0	BMW Sport Exhaust System	77 11 8 543 042	0	\$1,104.32	\$0.00
<b>Convenience Options</b>					
0	Extra Ignition Key	51 25 8 540 950	0	\$81.79	\$0.00
0	Stock Side Stand "Kicker" Peg	46 53 2 153 834	0	\$22.00	\$0.00
1	Map Light	71 60 2 407 772	1	\$118.00	\$118.00
0	Work Light	71 60 7 705 570	0	\$44.75	\$0.00
1	Note Pad Holder	65 14 0 421 315	1	\$48.00	\$48.00
0	POLICE Decal Set	82 00 0 419 312	0	\$79.91	\$0.00
0	Rear Flashlight Holder - Right or Left	71 60 2 407 773	0	\$175.00	\$0.00
0	Rear Flashlight / PR24 Holder - Right	71 60 2 407 775	0	\$225.00	\$0.00
1	Rear Flashlight / PR24 Holder - Left	71 60 2 407 776	1	\$225.00	\$225.00
1	Rear Vertical Shotgun Mount	65 14 0 445 541	1	\$534.00	\$534.00
0	M4 Combat Assault Rifle Mount	65 14 2 153 836	0	\$626.40	\$0.00
1	Shotgun / Assault Rifle Mounting Bracket	71 60 2 407 777	1	\$59.00	\$59.00
0	LAPD Rear Gun Lock Release	71 60 2 408 078	0	\$240.00	\$0.00
0	Heated Seat - Low	52 53 8 544 786	0	\$349.81	\$0.00
0	Heated Seat - High	52 53 8 544 792	0	\$349.81	\$0.00
0	Tire Pressure Gauge	82 12 0 140 377	0	\$46.63	\$0.00
0	BMW Motorrad Battery Charger (2.5 Ah)	77 02 8 551 897	0	\$152.49	\$0.00
0	BMW Battery Charger II (1.25 Ah)	72 11 0 419 496	0	\$59.80	\$0.00
0	Power Socket Plug	61 13 8 060 106	0	\$21.12	\$0.00
0	Motorcycle Full Cover	71 60 2 212 962	0	\$108.33	\$0.00
0	Motorcycle Half Cover	71 60 2 212 204	0	\$39.00	\$0.00
0	Rocker Cover Protector Set	77 14 8 533 693	0	\$360.92	\$0.00
<b>Video Integration</b>					
0	Mobile Vision Display Mount	65 14 0 431 465	0	\$45.09	\$0.00
0	Video System Camera Mount	71 60 2 407 779	0	\$50.67	\$0.00
0	Road Warrior Display Head Mount	65 14 0 445 539	0	\$34.51	\$0.00
0	Road Warrior Processor Mount - Radio Box	65 14 2 153 832	0	\$39.51	\$0.00
0	Video System Icon Connection Plug	71 60 2 407 780	0	\$6.12	\$0.00
<b>GPS Navigation</b>					
0	BMW Navigator V GPS Kit Complete	77 52 8 536 090	0	\$803.11	\$0.00
0	GPS Dashboard - Upper	77 31 8 545 667	0	\$113.80	\$0.00
0	GPS Dashboard - Lower	77 31 8 545 668	0	\$96.28	\$0.00
0	GPS Release Push Button	46 63 8 542 042	0	\$1.48	\$0.00
0	GPS Mount Cradle	77 52 7 721 941	0	\$140.36	\$0.00
0	Car Kit for Navigator V	77 52 8 544 460	0	\$128.23	\$0.00
<b>Storage Options</b>					
0	Saddlebag Liners (each)	71 60 7 704 109	0	\$89.00	\$0.00
0	Tank Top Bag	77 45 8 543 227	0	\$297.77	\$0.00

Note: Prices subject to change without notice. Always verify accuracy of part pricing before submitting quotations.

Final price is always determined by the selling authorized BMW Motorcycle dealer.

Estimated Pricing - Final Pricing not yet received.



# R 1200 RT-P Motor Pricing Form

K52 SF



Quotation for:

City of Reno - Fleet Maint. Police

## Additional Accessories

Qty Per	Item Description	BMW P/N	Order #	Retail	Total Retail
<b>Additional Accessories</b>					
<b>Radio Options</b>					
0	Radio Power Plug Connector	82 00 0 419 534	0	\$6.60	\$0.00
0	Radio Speaker Plug	71 60 2 407 781	0	\$6.71	\$0.00
0	Microphone Attachment Mount	71 60 2 408 075	0	\$29.00	\$0.00
0	Kustom/Stalker/MIC Remote Attachment Mount	71 60 2 407 778	0	\$12.00	\$0.00
0	Radio Quick Mounting Plate	71 60 2 408 076	0	\$37.33	\$0.00
0	Helmet Headset Interface Plug	71 60 2 407 782	0	\$7.20	\$0.00
<b>Accessory Connection Plugs</b>					
0	Accessory Connection Plugs (3)	71 60 2 407 783	0	\$7.43	\$0.00
0	Tyco DUAC Release Tool w/sockets (25)	71 60 2 407 784	0	\$39.80	\$0.00
<b>Radar Options</b>					
0	Front 12v Power Outlet (lighter style)	71 60 2 407 785	0	\$60.80	\$0.00
0	Radar Connection Plug	71 60 2 407 786	0	\$5.92	\$0.00
0	Kustom Eagle Display Head Mount	71 60 2 407 787	0	\$48.00	\$0.00
0	Kustom Raptor Display Head Mount	71 60 2 407 788	0	\$48.00	\$0.00
0	Kustom Raptor Radar Counter Mount	65 14 2 153 829	0	\$35.51	\$0.00
0	Kustom Ka Band Front & Rear Antenna Mounts	71 60 2 407 789	0	\$73.00	\$0.00
0	Kustom K Band Front & Rear Antenna Mounts	71 60 2 407 790	0	\$76.00	\$0.00
0	Kustom Radar Remote Control Mounting Plate	71 60 2 407 791	0	\$24.00	\$0.00
0	Kustom/Stalker/MIC Remote Attachment Mount	71 60 2 407 778	0	\$12.00	\$0.00
0	Stalker DSR 2X Display Head Mount	71 60 2 407 792	0	\$47.00	\$0.00
0	Stalker Dual Waterproof Display Head Mount	71 60 2 407 793	0	\$69.33	\$0.00
0	Stalker Front & Rear Antenna Mounts	71 60 2 407 794	0	\$73.00	\$0.00
0	Stalker Radar Remote Control Mounting Plate	71 60 2 407 774	0	\$26.00	\$0.00
0	Stalker Radar Counter Mount (radio box lid)	71 60 2 407 795	0	\$34.51	\$0.00
0	Kustom Talon Radar Gun Mount	71 60 2 407 796	0	\$200.00	\$0.00
0	Decatur Genesis Radar Gun Mount	71 60 2 407 797	0	\$200.00	\$0.00
0	Kustom Pro-Laser 3 Lidar Gun Mount	71 60 2 407 798	0	\$200.00	\$0.00
0	Kustom Pro-Laser 4 Lidar Gun Mount	71 60 2 407 799	0	\$200.00	\$0.00
0	Stalker II Radar Gun Mount	71 60 2 407 800	0	\$200.00	\$0.00
0	Stalker X-Series Lidar Gun Mount Bracket	71 60 2 407 801	0	\$200.00	\$0.00
0	LTI 20/20 Lidar Gun Mount	71 60 2 407 802	0	\$200.00	\$0.00
0	LTI TrueSpeed Lidar Gun Mount	71 60 2 407 803	0	\$200.00	\$0.00
0	LTI TrueSpeed S/Sx/Se Monocular Mount	71 60 2 407 804	0	\$200.00	\$0.00

Note: Prices subject to change without notice. Always verify accuracy of part pricing before submitting quotations.

Final price is always determined by the selling authorized BMW Motorcycle dealer.

# Sierra BMW Motorcycle

1380 Kleppe Lane  
Sparks, NV 89431  
775-355-0655

## Estimate

Date In: 5/19/2016  
Today Date: 5/19/2016  
Date Promised: 5/19/2016

Estimate For:

Unit Name

Location

### Units for this Repair Order

### Service Writer:

Year	Make	Model	VIN / Serial No.	Color	Plate	Key Board	Miles In/Out
2015	BMW	R1200RTP	WB10A1305FZ192676	BLK/W			/

### Job: INSTALL SKID PLATE

Job For: 2015 BMW R1200RTP R1200RTP WB10A1305FZ192676

### Description

#### Parts

Part Number	Quantity	Description	Each Price	Extension
11848532937	1	BRACKET FRONT	\$33.00	\$33.00
11848532940	1	BRACKET REAR	\$55.05	\$55.05
07147693887	5	6MM CLIP NUT	\$2.32	\$11.60
07129907382	5	FILLISTER-HEAD SCREW	\$2.04	\$10.20
11848532939	1	ENGINE GUARD	\$128.83	\$128.83
07129907402	5	ISA SCREW	\$2.12	\$10.60
13531341283	5	RUBBER SOCKET LFT.	\$2.18	\$10.90
11848544832	5	BUSH	\$4.74	\$23.70

Parts Subtotal **\$283.88**

#### Labor

Description	Job Code	Technician	Quantity	Line Total
INSTALL SKID PLATE			0.5 Hours	\$49.50

Labor Subtotal **\$49.50**

Job Subtotal **\$333.38**

### Customer Job Totals

Parts	\$283.88
Labor	\$49.50

Total of Customer Jobs **\$333.38**

Estimate Subtotal **\$333.38**

# Sierra BMW Motorcycle

1380 Kleppe Lane  
Sparks, NV 89431  
775-355-0655

## Sales Deal Summary

Deal Number:

Date: 5/24/2016

Delivery Date: 5/24/2016

Finalized Date:

First Payment Due: 5/24/2016

### Customer:

CITY OF RENO/PD FLEET MAINT  
1640 EAST COMMERCIAL ROW  
RENO, NV 89512  
h:PO# B15311 w:334-2240 x253

Major Units	Stock #	Year	Make	Model	Model Name	VIN
	NEVADA	2016	BMW	R1200RTP	R1200RTP	NEVADA POLICE MOTOR

### Major Units

### Fees & Insurance

### Down Payment

Unit Price	\$27,302.89
Freight	\$0.00
Handling	\$0.00
<b>Total Unit</b>	<b>\$27,302.89</b>
Parts and Accessories	\$0.00
Installation	\$0.00
<b>Total Parts and Install</b>	<b>\$0.00</b>
Mileage Credit	\$0.00
Promo Credit	\$0.00
Affiliation	(\$1,000.00)
	\$0.00
<b>Total Dealer Defined</b>	<b>(\$1,000.00)</b>

Vehicle Tax	\$0.00
Sales Tax	\$0.00
Doc Fees	\$0.00
License Fees	\$29.25
<b>Total Fees</b>	<b>\$29.25</b>
Service Contract	\$0.00
Prop / Liab Insurance	\$0.00
Credit Life	\$0.00
Accident / Health	\$0.00
Total Insurance Taxes	\$0.00
<b>Total Insurance</b>	<b>\$0.00</b>
Tire Warranty	\$0.00
Unit Sold Extra 5	\$0.00
Unit Sold Extra 6	\$0.00
<b>Total Dealer Defined</b>	<b>\$0.00</b>

Total Previous Payments	\$0.00
Additional Pmt Today	\$26,332.14
Deferred Payment	\$0.00
Financing	\$0.00
Manuf to Cust Rebate	\$0.00
<b>Total Down Payment</b>	<b>\$26,332.14</b>
Trade Allowance	\$0.00
Less Trade Payoff	\$0.00
<b>Trade Equity</b>	<b>\$0.00</b>

### Financing

Total Price	\$26,332.14	Term	1
Less Down	\$26,332.14	APR	0.000%
<b>Amount Financed</b>	<b>\$0.00</b>	Add-on	0.0%
Finance Charge	\$0.00	Extra	0.0%
Total of Payments	\$0.00	<b>Monthly Payment</b>	<b>\$0.00</b>

**Limited Warranty - BMW R 1200 RT-P  
2016 Police Motorcycles  
(Valid only in the U.S.A.)**

BMW of North America, LLC ("BMW NA") warrants to the first retail Public Authority (Purchaser) and each subsequent Purchaser of 2016 U.S. specification R 1200 RT-P BMW Police motorcycles, imported by BMW NA, to be free of defects in materials or workmanship for a period of 36 months or 60,000 miles, whichever occurs first, commencing with the date the motorcycle is delivered to its first retail Purchaser, or, if the motorcycle is first placed in service as a BMW Press motorcycle, BMW Employee Lease motorcycle, BMW Motorcycle demonstrator, BMW Display motorcycle, BMW Fleet Motorcycle or BMW Motorcycle retailer demonstrator prior to sale at retail, on the date the motorcycle is first placed in such service.

To obtain service under this warranty, the motorcycle must be brought, upon discovery of the defect, to the workshop of any BMW Motorrad USA authorized motorcycle retailer. This motorcycle dealer will, without charge for parts or labor, either repair or replace the defective part(s) using new or authorized remanufactured parts. The decision whether to repair or replace said part(s) is solely the prerogative of BMW NA. Parts for which replacements are made become the property of BMW NA.

BMW NA makes no other express warranty on this product except the warranty as to the emission control system. **The duration of any implied warranty of merchantability, is limited to the duration of the express warranty herein. BMW NA hereby excludes incidental and consequential damages, including loss of time, inconvenience, or loss of use of the vehicle, for any breach of any express or implied warranty, including any implied warranty of merchantability that may be applicable to this product.** Some states do not allow limitations on how long an implied warranty lasts, or the exclusion or limitation of incidental or consequential damages, so the above limitations and exclusions may not apply to you.

This warranty is not applicable to Certified Pre-Owned (CPO) Motorcycles offered for sale under the BMW Certified Pre-Owned Motorcycle Program. A separate Certified Pre-Owned protection Plan, described in applicable CPO literature, outlines the coverage provided to BMW CPO Motorcycles under the CPO Protection Plan.

This warranty gives you specific legal rights, and you may also have other rights which vary from state to state. Any legal claim or action arising from any express or implied warranty contained herein must be brought within 12 months of the date it arises.

**Notwithstanding the above, the following items are warranted against defects in material and workmanship for the first 12 months:**

- Halogen headlight bulbs
- LED bulbs as original equipment supplied by BMW (not Code 3, see below for Code 3 LED warning light warranty)
- Paint, powder coat and chrome finishes

**Notwithstanding the above, the following items are warranted against defects in material and workmanship for the first 24 months:**

- Batteries

**This warranty does not apply to the following, except as noted above:**

**a. Maintenance Services** - This includes, but is not limited to, scheduled maintenance, such as oil changes, wheel balancing; mechanical adjustments or repairs which become necessary through normal wear and tear such as throttle body synchronization, steering bearing adjustments; or periodic maintenance such as input and Paralever drive shaft spline lubrications.

**b. Service & Wear Items** - This includes, but is not limited to, the replacement of brake pads, linings and rotor assemblies, clutch plates, rear drive chain / belt and sprockets, spring strut dampers, steering head dampers, steering head, wheel and swing arm bearings and ball joints, incandescent bulbs, fuses, control cables, exhaust pipes and mufflers for discoloration of finish and rubber items such as hand grips, heated hand grips, foot rests, foot shift and control cable shields.

**c. Batteries** - Batteries that exhibit signs of neglect or overcharging.

**d. Tires** - Tires and tubes are warranted by their respective manufacturer for defects in materials and workmanship.

**e. Code 3 Emergency Products** - BMW NA has arranged with Code 3 Public Safety Equipment, Inc. ("Code 3") to allow authorized BMW motorcycle retailers to process valid Code 3 claims for warranty repair / replacement of Code 3 products; but only for Code 3 products supplied by BMW NA on new BMW police motors or originally distributed by BMW NA through the BMW parts system. Code 3 warranty duration is 3-years for LED's light heads and LED flasher modules. Please refer to the warranty information provided with these products for further details.

**f. Other Emergency Lighting and Siren Systems** - These components manufactured by Whelen, Federal Signal and Unitrol are warranted by their respective manufacturer for defects in material and workmanship. Please refer to the warranty information provided with these products for further details or consult the BMW police motors website for the respective manufacturer's warranty / repair information at [www.bmwmc.net](http://www.bmwmc.net).

**g. Improper Fuel Usage** - Only use fuels advertised to have adequate detergency and low alcohol (maximum 10% ethanol) content. Please refer to your owner's manual for important information on the fuel recommended for use in your vehicle. Use of fuels with insufficient detergent and/or excess alcohol can cause drivability problems that necessitate cleaning intake valves and fuel injection valves, and, when applicable, adjusting the engine idle. We suggest having this work performed by your authorized BMW dealer, perhaps while regular maintenance is performed. Your BMW dealer can also recommend a gasoline additive that will provide sufficient detergency. While this recommended unscheduled maintenance is not required in order to maintain the emissions warranty, cleaning of the intake valves or, when applicable, fuel injection valves, or adjustment of engine idle, necessitated by use of inappropriate fuel, it is not covered by warranty because no defect in material or workmanship or component failure is involved.

**h. Failure to Service** - This includes, but is not limited to, damage attributable to failure to perform maintenance services at the specified intervals or in accordance with the instructions in the Rider's Manual and/or Service & Technical booklet. Proof must be provided either by a paid invoice copy or filling in the appropriate boxes in the Service & Technical booklet.

**i. Damage** - This includes, but is not limited to, damage resulting from negligence, improper treatment, the installation and use of side cars, three wheel conversions, trailer hitches, the towing of trailers of any description, accidents or improper accident damage repairs, corrosion from road salts, battery acid, cleaning agents, environmental influences, or treatment contrary to the Rider's Manual and/or Service and Technical booklet.

**j. Non-BMW Parts** - Damage to a component or assembly due to the installation of replacement parts with specifications that differ in any material respect from Original BMW Parts.

**k. Towing** - Limited towing assistance is available through the BMW Motorcycle Roadside Assistance Plan.

**The warranty shall be null and void if:**

1. The motorcycle is used in any competitive events.
2. The motorcycle has been declared a total loss or sold for salvage purposes.
3. If the Vehicle Identification Number has been altered or cannot be read.
4. Any performance accessories or components attached to the vehicle which alters the original engineering and/or operating specifications which results or may result in damage to other original components.

# The 2016 R 1200 RT-P

Still Your Best Long-Term Value!




**BMW continues class-leading balanced performance.**

- ✚ New lower-maintenance air / water-cooled engine, transmission and drive line.
- ✚ New easy-access multi-plate self-energizing wet clutch.
- ✚ New handlebar controls and police switch gear provide more functions as standard equipment.
- ✚ New improved fairing and windshield design for greater rider comfort.
- ✚ New optimal air management keeps engine heat from the rider.
- ✚ New state-of-the-art emergency light system with alley & take-down lights plus wig-wag headlight.
- ✚ New twin-speaker 120 dB electronic siren system.
- ✚ New electronic radio box lid release.
- ✚ New electronic cruise control operational even at parade speeds.
- ✚ New standard emergency light, siren, PTT & PTPA handlebar switches.
- ✚ Optional Hill-Start Control, Gear Shift Assist Pro, Dynamic ESA, Fog Lights, Dynamic Package, Chrome Exhaust, GPS Preparation, PA Microphone, Fire Extinguisher and more.
- ✚ Best fuel economy of any large police motor resulting in dramatically lower operating costs.


# The 2016 R 1200 RT-P

The 2015 R 1200 RT-P is a completely new police motor development from BMW. The new RT-P gains the fabulous new boxer air / water-cooled engine producing 125 bhp and 92 lb/ft of torque. The easily accessible self-energized multi-plate wet clutch has reduced lever pull with a wide "grey" area. The new clutch system can now be changed in about an hour, accessible from the front of the engine case, thereby minimizing periodic maintenance costs. The new low-maintenance engine utilizes a single spark plug per cylinder, combined engine-gearbox lubrication, keeping operational costs to a minimum. New e-gas electronic throttle control provides precise throttle management, reduced throttle twist rotation to 70 degrees with no wear or adjustment needed due to electronic throttle actuator system.

## NEW: Wet clutch and integrated gearbox.



## New Lighting System



The new BMW emergency lighting system provides four times the forward intensity of the prior model, focused in the primary zone where motorists are most likely to left turn / pull-out in your path (pattern shows most intense area). Enclosed take-down lights and alley lights provide exceptional illumination plus an alternating wig-wag function to maximize visibility.

Integration is further enhanced with the new rear light module, which combines all of the lighting system components previously mounted on the rear of the police motor together in an easily-accessible controller module.



- Rear and rear-side facing emergency lights provide greater intensity than the previous double-stacked units.
- New high-mount rear-facing auxiliary brake & tail lights enhance visibility for approaching vehicles.
- New side-facing auxiliary turn signals add visibility when changing lanes while passing vehicles.
- Fully-integrated rear ID lights in blue or red keep license plate area uncluttered.
- Motion activated saddlebag lights provide visibility in bags at night / low light environments.



# The 2016 R 1200 RT-P

The 2016 R 1200 RT-P provides the most modern, integrated lighting system available on a police motor. The new auxiliary rear emergency light unit provides high-intensity visibility in all situations, plus provides additional benefit if the radio box lid is opened during the violator stop.

The auxiliary rear emergency light unit is mounted to the optimally grounded radio antenna mounting bracket (standard equipment), which is suitable for any radio frequency from 40 MHz to 800+ MHz.

Numerous accessories are available for the new RT-P from a map light, flashlight / baton holders, to M4 combat assault rifle or shotgun mount. An extensive assortment of mountings for common equipment required on motors including moving radar, radar / Lidar guns and video system integration mounts are also available.



## New Handlebar Switch Assemblies



- Emergency light & siren switch has been relocated for optimal access. A touch of the switch activates lighting and siren system.
- Emergency lights now offer two program pattern switching modes.
- Siren has been programmed for quick switch response for "chirp" activation as well as wail, yelp, hyper-yelp and air horn.
- Radio speaker mute switch function now standard.

Full-color TFT dashboard provides a wealth of information to rider via the thumb-wheel control. Dashboard angle is adjustable to eliminate glare for officers of any height.

Integrated radio head and map light mounting is standard equipment on the new R 1200 RT-P, thereby facilitating quick yet secure installation of the radio control head. Combined with the standard radio antenna mounting at the rear, the RT-P is ready for any police radio installation without purchasing extra mounts.


The mounting will also facilitate the tandem mounting of a police video system display / control head while retaining easy access to the ignition switch.



# The 2016 R 1200 RT-P

The new R 1200 RT-P raises the standard for electrical power management while providing fast and efficient connection of police equipment. The BCa (Body Controller authority) controls all special authority circuit outputs and charging of the auxiliary battery. There is no need for fuses, the BCa monitors and protects outputs, controlling circuits for all police accessories:


- Gun Lock (6A)
- Radio (15A)
- Auxiliary LED Emergency Lights
- LED Flasher Connection (10A + 6A)
- Helmet Headset Interface (2A)
- Lighter Socket (6A)
- Accessory I (2A)
- Accessory II (2A)
- Accessory III (2A)
- Fairing Radio Speakers
- Radar Connection (6A)



The radio box on the R 1200 RT-P now features an electronic release, eliminating the need for a key to open the box. The Body Controller authority and auxiliary battery are located under the radio box for optimal protection and interference suppression (average police radio chassis illustrated in radio box). The BCa controls all accessory outputs and limits the time each output is powered after ignition-off. When each output is switched off, no parasitic loads are possible. The BCa also monitors battery condition and systematically shuts-down accessory outputs to ensure the auxiliary battery cannot be flattened / damaged. At an average of \$1.50 a minute, installation labor for radios and accessories can be greatly reduced which significantly lowers your overall police motor preparation costs.



## Saddlebag Illumination




Saddlebag illumination is another new option for the R 1200 RT-P. Two LEDs are precisely focused to illuminate the inside of the police saddlebag. Actuation is simple ... wave your hand by the light and a proximity sensor will turn-on both saddlebag lights for 15 seconds, then automatically turn them off! If you need the light for a longer period, wave your hand again and you get another 15 seconds of illumination. A cool yet extremely practical feature when loading / unloading at night, in low light conditions, parking garages, etc.



# The 2016 R 1200 RT-P

## Your Best Long-Term Value!



BMW Police Motors are being utilized by more than 450 agencies in the US, including the three largest US fleets operated by the California Highway Patrol, Los Angeles Police Department and Los Angeles Sheriff's Department. BMW has always focused on providing the best police motor with the features that agencies want and use. BMW police motors are supplied with a much higher level of standard equipment than our competitors, which is why you need to look carefully at what features you specify in your RFQ's when comparing price and value. **No police motor sold today has a higher level of standard equipment than the BMW ... you have told us what you use and need ... and BMW supplies it!** This means significantly lower up-fitting costs as well as greater utilization and reliability for your agency.

### Added Value from BMW R 1200 RT-P Motors:

- Standard: Electronic lock-release integrated radio box with wiring ports, ground plate and antenna mount.
- Standard: Police-specific top-opening saddlebags with glove-friendly latch and optional work bag liner.
- Standard: Corrosion-resistant stainless steel front and rear protection bar system.
- Standard: Linked dual 16 Ah maintenance-free batteries with 10 separately-monitored equipment circuits.
- Standard: Adjustable dashboard display of system voltage, outside temperature, tire pressure, etc.
- Standard: Four-way emergency flashers as well as two-way rear flashers, blue ID lights.
- Standard: Central stand allowing easier maintenance such as tire changes, cleaning, etc.
- Standard: Wind tunnel optimized full fairing providing superior air management / comfort.
- Standard: All lights "off" switch with dimmable dashboard information display.
- Standard: Cruise lights for dimmed front and rear emergency light steady illumination.
- Standard: Wig-wag headlight function when emergency lights are activated (three selectable frequencies or off).
- Standard: Alley light switch enables independent illumination of L or R front side LED alley lights.
- Standard: Integrated fairing-mounted speakers for radio & radar, pre-wired inside radio box w/speaker mute switch.
- Standard: BCa managed electrical power connection bus inside radio box for all common equipment connections.
- Standard: Accurate digital police speedometer with pace-lock display.
- Standard: Three-tone BMW 120 dB twin-speaker siren system with wail/yelp/hyper-yelp, air horn and public address.
- Standard: Cutting-edge BMW/Code 3 LED emergency lighting system with LIN-bus control.
- Standard: Electrically-adjustable windshield, adjustable seat height, adjustable brake, clutch & shift lever.
- Standard: Full radio interference suppression system with optimized radio antenna and control head mount.
- Standard: Gun lock release handlebar switch and pre-wired harness for lock.
- Standard: Pre-wired moving radar connection (VSS, battery+, switched power +, ground)
- Standard: Pre-wired map light connection plug and mounting on std. radio control head mount.
- Standard: Pre-wired constant and switched-power circuits for computers, printers or video systems.
- Standard: Side stand holds motorcycle on grades up to 9% without locking mechanism (park in gear for steeper grades).
- Standard: Partial-integral ABS braking system with independent rear wheel brake control and traction control.
- Standard: The largest fuel tank (6.6 gal) with dramatically better fuel economy and range ≥300 miles.
- Standard: The longest service intervals (6,000 miles) for oil change / maintenance.
- Standard: The most comprehensive warranty covering all BMW supplied equipment, not just the motorcycle, enables your authorized BMW dealer to keep your motors on the road with less down-time.

## Optional Value from BMW R 1200 RT-P Motors:

BMW provides the most comprehensive assortment of options specifically designed for BMW motors, from simple map lights to electric locking assault rifle mounts. BMW designs these options to enable agencies to professionally mount the specialized equipment that we know you need and use, enabling everything to work properly. Additionally, these specially designed mounts greatly reduce the installation time over "universal" mounts (universal means it doesn't fit anything properly), making the final package more affordable. All options are warranted by BMW to fit and function properly! A detailed listing of available options is in this information sheet.

Many recent entrants to the police motor arena have made claims of being much less expensive, but when the bidding is over and the dust settles, those motors are usually similar in price or even more expensive than the BMW with far less standard equipment and higher operating costs! Don't be fooled by the newcomers!


## New standard features on every R 1200 RT-P: (standard for stock units)

- Heated seat and heated handlebar grips (new 5-level adjustment for heat settings)
- BMW ABS with Traction Control
- Tire Pressure Monitoring
- Electronic Cruise Control (controls down to 9 mph)
- Weather Protection: provide rain, wind and heat protection to rider / keeps motor clean
- Rider Information Display including system voltage, ambient temperature, etc.

## New factory options available at additional cost: (special order units only)

- Dynamic ESA – monitors road dynamics and automatically adjusts suspension to current road conditions
- Gear Shift Assist Pro – enables up and down shifting without clutch once motor is moving in 1<sup>st</sup> gear
- GPS Preparation – special dashboard pre-wired for BMW Navigator V GPS
- Dynamic Package – special price package that contains Headlight Pro, Hill-Start Control and Ride Modes Pro. Headlight Pro provides corona ring lighting, Hill Start holds brake on up or down hill until clutch is engages, Ride Modes Pro provides "Dynamic" ride mode for maximum vehicle performance and response.
- Chrome Exhaust – beautify your ride
- Additional Fog Lights – provides low level lighting for fog / alternatively flashes with headlight flasher during daytime operation of emergency lights
- Public Address Microphone – Euro microphone located inside radio box for instruction while parked
- Fire Extinguisher – 1 KG dry powder fire extinguisher for emergency use
- High Seat Heated – no charge high seat option
- Low Seat Heated – no charge low seat option

## Longer seating surfaces and narrower frame.



### "Freshtouch" cover for heated seat.

- Approx. 18°F cooler under direct sunlight.
- Optimized foam padding for greater comfort.
- Transfers warmth from the heated seats better.

## How Important is Fuel Economy?

The fuel economy (or lack thereof) is an increasingly important aspect of the operational cost of police motorcycles. What is illuminating is the significant additional cost of operation with specific motors. Often, motor purchases are decided with minimal differences in price without consideration to the effect of operational cost, yet these costs can dwarf the variance between competing bids. See at right one more reason why BMW Police Motors are the best long-term value for your agency.

\* The R 1200 RT-P can be operated on middle-grade 89 AKI fuel.

\*\*All MPG data results from the LASD 2011 Vehicle Test Report, where fuel consumption was monitored on fully equipped police motorcycles, ridden on specific routes to simulate typical police riding style and real world situations, including violator stops, etc.

Estimates based on mid-grade 89\* AKI fuel.

Fuel Price \$ 4.63

Estimates based on premium 91 AKI fuel.


Fuel Price \$ 4.83

	BMW G 650 GS-P	BMW R 1200 RT-P*	Honda ST1300 PA9	H-D Road King	H-D Electra Glide	Kawasaki ZG1400
Police MPG**	49.9	38.4	36.1	36	35	29
Miles	Estimated Fuel Cost					
20,000	\$ 1,856	\$ 2,411	\$ 2,676	\$ 2,683	\$ 2,760	\$ 3,331
40,000	\$ 3,711	\$ 4,823	\$ 5,352	\$ 5,367	\$ 5,520	\$ 6,662
60,000	\$ 5,567	\$ 7,234	\$ 8,028	\$ 8,050	\$ 8,280	\$ 9,993
80,000	\$ 7,423	\$ 9,646	\$10,704	\$10,733	\$11,040	\$13,324
100,000	\$ 9,279	\$12,057	\$13,380	\$13,417	\$13,800	\$16,655
Miles	Estimated Cost Difference from R 1200 RT-P					
20,000	\$ (556)	\$ -	\$ 264	\$ 272	\$ 349	\$ 920
40,000	\$ (1,111)	\$ -	\$ 529	\$ 544	\$ 697	\$ 1,839
60,000	\$ (1,667)	\$ -	\$ 793	\$ 816	\$ 1,046	\$ 2,759
80,000	\$ (2,223)	\$ -	\$ 1,058	\$ 1,088	\$ 1,394	\$ 3,678
100,000	\$ (2,779)	\$ -	\$ 1,322	\$ 1,359	\$ 1,743	\$ 4,598

Your actual mileage may vary from the results above.

## BMW provides service maintenance training classes at our Ontario, CA BMW Training Center free-of-charge to the agency.

This class is specifically tailored to agency technicians who wish to fully maintain the motor as well as perform supplementary work such tire changes, clutch replacement, etc. BMW also offers training on the BMW ISPI diagnostic tester system for agencies with larger fleets that can justify the acquisition of a diagnostic tester. The training enrollment form can be found under the training tab on the BMW Police Motors website at [www.bmwmc.net](http://www.bmwmc.net).



### Contact Information:

BMW Motorrad USA  
Frank Stevens, Authority Program Manager  
[frstevens59@gmail.com](mailto:frstevens59@gmail.com) (201-264-836 Cell)

Bob McCormick, Authority Representative – East  
(Retired Albemarle County Police)  
[lemotorrad@gmail.com](mailto:lemotorrad@gmail.com) (434-960-0699 Cell)

Chuck Downing, Authority Representative – West  
(Retired CHP motor sergeant)  
[crd3549@sbcglobal.net](mailto:crd3549@sbcglobal.net) (916-205-7376 Cell)

**BMW Police Motors Website**

[www.bmwmc.net](http://www.bmwmc.net)

## BMW R 1200 RT-P Motors Perform at Michigan State Police Vehicle Test.



BMW Motorrad USA supports the Michigan State Police Vehicle Test, participating again in the 2015 vehicle test program. The New R 1200 RT-P performed flawlessly in the testing, registering impressive results in all test categories throughout the testing program. Go to [www.bmwmc.net](http://www.bmwmc.net) under Products / Agency Reviews to see the complete test report with details on all motors tested.

### SUMMARY OF MOTORCYCLE ACCELERATION & TOP SPEED

	BMW R1200 RTP	Harley Davidson FLHP (Electra Glide)	Harley Davidson FLHP (Roadking)	Harley Davidson FLHP (Electra Glide) Special
0-20 mph (sec)	1.37	1.45	1.38	1.39
0-30 mph (sec)	1.96	2.19	2.14	2.20
0-40 mph (sec)	2.50	3.06	3.07	3.03
0-50 mph (sec)	3.23	4.17	4.10	4.13
0-60 mph (sec)	3.99	5.62	5.49	5.27
0-70 mph (sec)	4.96	7.24	7.21	6.94
0-80 mph (sec)	6.05	9.66	9.59	8.81
0-90 mph (sec)	7.48	12.73	12.73	11.63
0-100 mph (sec)	9.14	19.34	20.11	15.48
TOP SPEED (mph)	141 mph	113 mph	113 mph	110 mph
QUARTER MILE (sec)	12.51 seconds	14.44 seconds	14.15 seconds	14.39 seconds
SPEED (mph)	116.08 mph	94.70 mph	98.00 mph	89.32 mph

	Moto Guzzi California 1400	Moto Guzzi Norge 1200	Can-AM Spyder RTP
0-20 mph (sec)	1.47	1.38	1.95
0-30 mph (sec)	2.19	2.14	2.97
0-40 mph (sec)	2.91	2.82	3.94
0-50 mph (sec)	3.88	3.72	4.97
0-60 mph (sec)	4.94	4.69	6.55
0-70 mph (sec)	6.40	5.96	8.34
0-80 mph (sec)	8.35	7.63	10.57
0-90 mph (sec)	11.08	9.75	14.11
0-100 mph (sec)	15.01	12.51	20.56
TOP SPEED (mph)	117 mph	127 mph	114 mph
QUARTER MILE (sec)	13.84 seconds	13.29 seconds	15.11 seconds
SPEED (mph)	99.33 mph	107.07 mph	96.00 mph

### 2015 Motorcycle Acceleration Comparison Acceleration Times 0-100 mph




### SUMMARY OF MOTORCYCLE BRAKE TESTING

	Phase 1 Average Deceleration Rate	Phase 2 Average Deceleration Rate	Overall Average Deceleration Rate	Projected Stopping Distance From 60.0 MPH
BMW R1200RTP	28.70	29.38	29.04	133.3
Harley Davidson FLHP (Electra Glide)	26.48	27.11	26.80	144.5
Harley Davidson FLHP (Road King)	26.85	27.20	27.03	143.3
Harley Davidson FLHP (Electra Glide) Special	26.80	26.30	26.45	146.4
Moto Guzzi California 1400	28.89	28.86	28.87	134.1
Moto Guzzi Norge 1200	29.72	29.69	29.70	130.4
Can-AM Spyder RTP	30.98	30.43	30.70	128.1

BMW Motorrad USA thanks the Michigan State Police for conducting their annual vehicle testing program, which we feel is a valuable service to law enforcement agencies everywhere.

## BMW R 1200 RT-P Motors Perform at Los Angeles Sheriff's Vehicle Test.

BMW Motorrad USA supports the Los Angeles Sheriff's Department Vehicle Test, participating again in late 2014 for the 2015 vehicle test. The LASD test contains additional criteria that many agencies value as well as providing test rider commentary. The results below were from the braking tests. Go to [www.bmwmc.net](http://www.bmwmc.net) under Products / Agency Reviews for complete test results for all models.



### HARD BRAKING PANIC STOP – 60 MPH TO ZERO

2014 HONDA ST1300P	
RIDER	STOPPING DISTANCE
Dep. J Houle	143.4 @ 60MPH
2015 HARLEY DAVIDSON ELECTRA GLIDE	
RIDER	STOPPING DISTANCE
Dep. J Houle	155.1 @ 60 MPH
2015 HARLEY DAVIDSON ROAD KING	
RIDER	STOPPING DISTANCE
Ofc. M. Nowlen	152.6 @ 60 MPH
2015 MOTO GUZZI CALIFORNIA 1400	
RIDER	STOPPING DISTANCE
Ofc. M. Nowlen	143.1 @ 60 MPH
2015 BMW R1200RT-P	
RIDER	STOPPING DISTANCE
Ofc. M. Nowlen	130.6 @ 60 MPH
2015 VICTORY COMMANDER 1	
RIDER	STOPPING DISTANCE
Dep. J Houle	170.2 @ 60 MPH
2015 ZERO ELECTRIC DSP	
RIDER	STOPPING DISTANCE
Dep. J Houle	211.0 @ 60 MPH
2015 MOTO GUZZI NORGE	
RIDER	STOPPING DISTANCE
Ofc. M. Nowlen	138.1 @ 60 MPH

### DEBRIS FIELD BRAKING SANDY SURFACE – 40 MPH TO ZERO

2015 HONDA ST1300P	
RIDER	STOPPING DISTANCE
Dep. J Houle	120.2 @ 40 MPH
2015 HARLEY-DAVIDSON ELECTRA GLIDE	
RIDER	STOPPING DISTANCE
Dep. J. Houle	115.4 @ 40 MPH
2015 HARLEY-DAVIDSON ROAD KING	
RIDER	STOPPING DISTANCE
Ofc. M. Nowlen	NO ABS
2015 BMW R1200RT-P	
RIDER	STOPPING DISTANCE
Dep. J Houle	77.0 @ 40
2015 HARLEY DAVIDSON ELECTRA GLIDE SPEC.	
RIDER	STOPPING DISTANCE
Dep. J Houle	90.7 @ 40
2015 VICTORY COMMANDER 1	
RIDER	STOPPING DISTANCE
Ofc. M. Nowlen	104.0 @ 40 MPH
2015 MOTO GUZZI NORGE	
RIDER	STOPPING DISTANCE
Ofc. M. Nowlen	92.5 @ 40 MPH
2015 MOTO GUZZI CALIFORNIA 1400	
RIDER	STOPPING DISTANCE
Dep. J Houle	N/A

### TRANSITORY BRAKING DRY TO WET - 40 MPH TO ZERO

2014 HONDA ST1300P	
RIDER	DRY TO WET STOP
Ofc. M. Nowlen	66.4 @ 40 MPH
2015 HARLEY DAVIDSON ELECTRA GLIDE	
RIDER	DRY TO WET STOP
Ofc. M. Nowlen	64.9 @ 40 MPH
2015 HARLEY DAVIDSON ROAD KING	
RIDER	DRY TO WET STOP
Ofc. M. Nowlen	68.8 @ 40 MPH
2015 BMW R1200RT-P	
RIDER	DRY TO WET STOP
Dep. J Houle	55.2 @ 40 MPH
2015 VICTORY COMMANDER 1	
RIDER	DRY TO WET STOP
Dep. J Houle	81.4 @ 40 MPH
2015 HARLEY DAVIDSON FLHTP ELECTRA SPECIAL	
RIDER	DRY TO WET STOP
Dep. J Houle	67.2 @ MPH
2015 MOTO GUZZI NORGE	
RIDER	DRY TO WET STOP
Ofc. M. Nowlen	60.3 @ 40 MPH
2015 MOTO GUZZI CALIFORNIA 1400	
RIDER	DRY TO WET STOP
Dep. J Houle	63.4 @ 40 MPH

BMW Motorrad USA thanks the Los Angeles County Sheriff's Department for conducting their annual vehicle testing program, which we feel is a valuable service to law enforcement agencies everywhere.

## R 1200 RT-P Options / Equipment Listing

### Factory Color Choices

Night Black & Alpine White III (753)

Alpine White III (751)

Night Black (716) (Special Order)

Other Colors Available via Special Order

### Selectable Factory Options (special order)

Dynamic ESA (191)

Gear Shift Assist Pro (222)

GPS Preparation (272)

Dynamic Package (204, 219, 224)

Chrome Exhaust (350)

Additional Fog Lights (562)

Public Address Microphone (599)

Fire Extinguisher (666)

High Seat – Heated (610)

Low Seat – Heated (776)

### Standard Factory Features

Heated Single Seat (518)

Heated Handlebar Grips (series std)

TPM (Tire Pressure Monitoring) (530)

Traction Control System (series std)

Electronic Cruise Control (538)

Weather Protection Pkg. (649)

US Authority Package (113)

Authority Package (369)

Full Interference Suppression (461)

Electronic Siren (486)

Authority Speedometer MPH (504)

Auxiliary Battery (537)

Switch-Off Lights (570)

Single Seat w/Large Radio Box (642)

Painted Special Duty Cases (660)

Front Protection Bars (672)

Rear Protection Bars (674)

Deviation from Standard (719)

Rear Socket (764)

Michelin Tires (788)

Authority Vehicle (998)

### Emergency Light Options

Red, Blue, Amber, White LEDX Modules

Duplex LEDX Rear Module

(Blue/Blue, Red/Red, Blue/Red, Blue/Amber)

Twin Torus LED Take-Down Lights

Single Torus LED Alley Lights

Auxiliary Brake/Tail LED Lights

Auxiliary Side Turn Signal Lights

Saddlebag LED Lights

### Radio Options

Radio Power Plug Connector

Radio "Y" Harness

Accessory Output Plugs

Radio Speaker Plug

Radio Quick Mounting Plate

Helmet Headset Interface Plug

Microphone Mount

Microphone Mounting Hardware

### Other Convenience Options

Side Stand Foot Extension

BMW Navigator 5 GPS

GPS Mount

BMW Driving Lights

Extra Ignition Key

Map Light

Note Pad Holder

POLICE Decal Set

Rear Flashlight Holder (LH or RH)

Rear Flashlight / PR24 Holder – Left

Rear Flashlight / PR24 Holder – Right

Rear M4 Combat Assault Rifle Mount – Right

Rear Shotgun Mount – Right

Gun Mount Bracket (required for above)

Low Seat - Not Heated

Std. Seat – Not Heated

High Seat – Not Heated

Low Seat - Heated

High Seat - Heated

Tire Pressure Gauge

Saddlebag Liners (each)

Tank Top Bag w/Map Pocket

BMW 2.5Ah Battery Charger

Motorcycle Deluxe Cover

Stainless Steel Valve Cover Guards

### Video Integration Options

L3 Mobile Vision Display Mount

Kustom Road Warrior Display Head Mount

Kustom Road Warrior Processor Mt - Radio Box

Camera Mount – Kustom or L3

### Radar Options

Front 12v Power Outlet (lighter style)

Fused Power Socket Power Harness

MPH Bee III Display Head Mount

Kustom Eagle Display Head Mount

Kustom Raptor Display Head Mount

Kustom Eagle Front & Rear Antenna Mounts

Kustom Raptor Front & Rear Antenna Mounts

Kustom Raptor Radar Counter Mt (in radio box lid)

Kustom Remote Controller Mounting Bracket

Stalker Controller Mount (under radio box lid)

Kustom / Stalker / Mic Remote Mt Hardware

Stalker Remote Controller Mounting Bracket

Stalker Dual (not waterproof) Display Head Mount

Stalker DSR 2X Display Mount

Stalker Dual Waterproof Display Head Mt (old)

Stalker Front & Rear Antenna Mounts

Radar / Lidar Gun Adaptor Plate

(Radar / Lidar Gun Mounts from K26SF Model)

Kustom Talon Radar Gun Mount

LTI 20/20 Lidar Gun Mount

Stalker Lidar Gun Mount

Kustom Pro-Laser 3 Lidar Gun Mount

Stalker II Radar Gun Holster Mount

Decatur Genesis Radar Gun Mount



## Technical Specifications

<b>Engine Layout</b>	Air/water-cooled flat twin ("Boxer") 4-stroke engine, two camshafts and four radially aligned valves per cylinder, central balancer shaft
<b>Bore x stroke</b>	101 mm x 73 mm
<b>Displacement</b>	1,170 cc
<b>Rated output</b>	125 hp (92 kW) at 7,750 rpm
<b>Max. torque</b>	92 ft-lb (125 Nm) at 6,500 rpm
<b>Compression ratio</b>	12.5 : 1
<b>Mixture control / engine management</b>	Electronic intake pipe injection / BMS-X+ electronic engine management with E-Gas electronic throttle actuator, ride mode control (rain / road), optional Ride Modes Pro with additional dynamic mode, reduced throttle twist angle to 70°
<b>Emission control</b>	Closed-loop 3-way catalytic converter, emission standard EU-3
<b>Cooling System</b>	Air / water precision cooled, thermostatically-controlled micro-cooled, large radiators with computer-controlled auxiliary fan drive
<b>Maximum speed</b>	125+ mph (200 km/h)
<b>Fuel consumption</b>	60 mpg at a constant 56 mph
<b>Fuel type</b>	Premium fuel 91 AKI (mid-grade 89 AKI with reduced performance)
<b>Alternator</b>	Three-phase alternator 540 W w/auxiliary battery and power management via BCa
<b>Battery, Main</b>	12 V / 16 Ah, AGM maintenance-free
<b>Battery, Auxiliary</b>	12 V / 16 Ah, AGM maintenance-free, with computer controlled charging relay
<b>Clutch</b>	Self-energizing wet clutch, 8-plates, hydraulic self-adjusting
<b>Gearbox</b>	Constant mesh 6-speed gearbox with helical gear teeth
<b>Drive System</b>	Shaft drive with integral torsion damper, std. ABS and traction control
<b>Frame</b>	Continuous tubular steel bridge-type frame, bolt-on rear frame section
<b>Front wheel location / suspension</b>	BMW Motorrad Telelever, central spring strut, hydraulic steering damper
<b>Rear wheel location / suspension</b>	Cast aluminum single-sided swing arm with BMW Motorrad EVO Paralever; WAD strut (travel-related damping), spring preload hydraulically adjustable (continuously variable) at hand wheel, rebound damping adjustable
<b>Suspension travel front / rear</b>	4.7/5.4 inches (120 mm / 136 mm)
<b>Wheelbase</b>	58.5 inches (1,485 mm)
<b>Castor</b>	4.6 inches (116 mm)
<b>Steering head angle</b>	63.6°
<b>Wheels</b>	Cast aluminum wheels, MTH2 rim profile
<b>Rim, front</b>	3.50 x 17"
<b>Rim, rear</b>	5.50 x 17"
<b>Tires, front</b>	120/70 ZR 17 Michelin Pilot Road 4
<b>Tires, rear</b>	180/55 ZR 17 Michelin Pilot Road 4
<b>Brake, front</b>	Dual disc brake, floating brake discs, diameter 320 mm, four-piston radial calipers
<b>Brake, rear</b>	Single disc brake, diameter 275 mm, double-piston floating caliper
<b>ABS</b>	BMW Motorrad Integral ABS (partial-integral)
<b>Length</b>	87.5 inches (2,222 mm)
<b>Width (incl. mirrors)</b>	38.7 inches (983 mm)
<b>Height (excl. mirrors)</b>	55.7 inches (1,416 mm)
<b>Seat height, wet weight</b>	31.7/32.5 inches Std (high: 32.7 / 33.5 inches; low seat: 29.9 / 30.7 inches)
<b>Weight, wet</b>	650 lbs (295 kg)
<b>GVWR</b>	1,091 lbs (495 kg)
<b>Payload including rider</b>	441 lbs (200 kg)
<b>Usable tank volume</b>	6.6 gallons (25.0 liters)
<b>Reserve</b>	Approx. 1 gallon (4.0 liters)
<b>Saddlebag volume</b>	23 liters each, top-opening
<b>Siren system</b>	BMW twin speaker electronic siren with wail, yelp, hyper-yelp, air-horn, PA. SAE J1849 and CA Title 13 compliant. 120 dB (A) @ 3 m.
<b>Emergency lighting system</b>	BMW/Code 3 LED light system (maximum 10 LEDX light heads) with alternating flash sequence, channel segregation for front & rear and duplex LEDX auxiliary rear.
<b>Alley lights</b>	Integrated alley light function utilizing separate Torus LED, selectable alternating wig-wag with emergency light operation.
<b>Cruise lights</b>	Integrated cruise light function for front and rear facing LED emergency lights to steady-burn at 10% power output.
<b>Take-down lights</b>	Integrated twin Torus LED, with selection switch for steady-burn or wig/wag alternating flash with emergency light operation.

**Limited Warranty - BMW R 1200 RT-P  
2016 Police Motorcycles  
(Valid only in the U.S.A.)**

BMW of North America, LLC ("BMW NA") warrants to the first retail Public Authority (Purchaser) and each subsequent Purchaser of 2016 U.S. specification R 1200 RT-P BMW Police motorcycles, imported by BMW NA, to be free of defects in materials or workmanship for a period of 36 months or 60,000 miles, whichever occurs first, commencing with the date the motorcycle is delivered to its first retail Purchaser, or, if the motorcycle is first placed in service as a BMW Press motorcycle, BMW Employee Lease motorcycle, BMW Motorcycle demonstrator, BMW Display motorcycle, BMW Fleet Motorcycle or BMW Motorcycle retailer demonstrator prior to sale at retail, on the date the motorcycle is first placed in such service.

To obtain service under this warranty, the motorcycle must be brought, upon discovery of the defect, to the workshop of any BMW Motorrad USA authorized motorcycle retailer. This motorcycle dealer will, without charge for parts or labor, either repair or replace the defective part(s) using new or authorized remanufactured parts. The decision whether to repair or replace said part(s) is solely the prerogative of BMW NA. Parts for which replacements are made become the property of BMW NA.

BMW NA makes no other express warranty on this product except the warranty as to the emission control system. **The duration of any implied warranty of merchantability, is limited to the duration of the express warranty herein. BMW NA hereby excludes incidental and consequential damages, including loss of time, inconvenience, or loss of use of the vehicle, for any breach of any express or implied warranty, including any implied warranty of merchantability that may be applicable to this product.** Some states do not allow limitations on how long an implied warranty lasts, or the exclusion or limitation of incidental or consequential damages, so the above limitations and exclusions may not apply to you.

This warranty is not applicable to Certified Pre-Owned (CPO) Motorcycles offered for sale under the BMW Certified Pre-Owned Motorcycle Program. A separate Certified Pre-Owned protection Plan, described in applicable CPO literature, outlines the coverage provided to BMW CPO Motorcycles under the CPO Protection Plan.

This warranty gives you specific legal rights, and you may also have other rights which vary from state to state. Any legal claim or action arising from any express or implied warranty contained herein must be brought within 12 months of the date it arises.

**Notwithstanding the above, the following items are warranted against defects in material and workmanship for the first 12 months:**

- Halogen headlight bulbs
- LED bulbs as original equipment supplied by BMW (not Code 3, see below for Code 3 LED warning light warranty)
- Paint, powder coat and chrome finishes

**Notwithstanding the above, the following items are warranted against defects in material and workmanship for the first 24 months:**

- Batteries

**This warranty does not apply to the following, except as noted above:**

- a. Maintenance Services** - This includes, but is not limited to, scheduled maintenance, such as oil changes, wheel balancing; mechanical adjustments or repairs which become necessary through normal wear and tear such as throttle body synchronization, steering bearing adjustments; or periodic maintenance such as input and Paralever drive shaft spline lubrications.
- b. Service & Wear Items** - This includes, but is not limited to, the replacement of brake pads, linings and rotor assemblies, clutch plates, rear drive chain / belt and sprockets, spring strut dampers, steering head dampers, steering head, wheel and swing arm bearings and ball joints, incandescent bulbs, fuses, control cables, exhaust pipes and mufflers for discoloration of finish and rubber items such as hand grips, heated hand grips, foot rests, foot shift and control cable shields.
- c. Batteries** - Batteries that exhibit signs of neglect or overcharging.
- d. Tires** - Tires and tubes are warranted by their respective manufacturer for defects in materials and workmanship.
- e. Code 3 Emergency Products** - BMW NA has arranged with Code 3 Public Safety Equipment, Inc. ("Code 3") to allow authorized BMW motorcycle retailers to process valid Code 3 claims for warranty repair / replacement of Code 3 products; but only for Code 3 products supplied by BMW NA on new BMW police motors or originally distributed by BMW NA through the BMW parts system. Code 3 warranty duration is 3-years for LED's light heads and LED flasher modules. Please refer to the warranty information provided with these products for further details.
- f. Other Emergency Lighting and Siren Systems** - These components manufactured by Whelen, Federal Signal and Unitorl are warranted by their respective manufacturer for defects in material and workmanship. Please refer to the warranty information provided with these products for further details or consult the BMW police motors website for the respective manufacturer's warranty / repair information at [www.bmwmc.net](http://www.bmwmc.net).
- g. Improper Fuel Usage** - Only use fuels advertised to have adequate detergency and low alcohol (maximum 10% ethanol) content. Please refer to your owner's manual for important information on the fuel recommended for use in your vehicle. Use of fuels with insufficient detergent and/or excess alcohol can cause drivability problems that necessitate cleaning intake valves and fuel injection valves, and, when applicable, adjusting the engine idle. We suggest having this work performed by your authorized BMW dealer, perhaps while regular maintenance is performed. Your BMW dealer can also recommend a gasoline additive that will provide sufficient detergency. While this recommended unscheduled maintenance is not required in order to maintain the emissions warranty, cleaning of the intake valves or, when applicable, fuel injection valves, or adjustment of engine idle, necessitated by use of inappropriate fuel, it is not covered by warranty because no defect in material or workmanship or component failure is involved.
- h. Failure to Service** - This includes, but is not limited to, damage attributable to failure to perform maintenance services at the specified intervals or in accordance with the instructions in the Rider's Manual and/or Service & Technical booklet. Proof must be provided either by a paid invoice copy or filling in the appropriate boxes in the Service & Technical booklet.
- i. Damage** - This includes, but is not limited to, damage resulting from negligence, improper treatment, the installation and use of side cars, three wheel conversions, trailer hitches, the towing of trailers of any description, accidents or improper accident damage repairs, corrosion from road salts, battery acid, cleaning agents, environmental influences, or treatment contrary to the Rider's Manual and/or Service and Technical booklet.
- j. Non-BMW Parts** - Damage to a component or assembly due to the installation of replacement parts with specifications that differ in any material respect from Original BMW Parts.
- k. Towing**. Limited towing assistance is available through the BMW Motorcycle Roadside Assistance Plan.

**The warranty shall be null and void if:**

1. The motorcycle is used in any competitive events.
2. The motorcycle has been declared a total loss or sold for salvage purposes.
3. If the Vehicle Identification Number has been altered or cannot be read.
4. Any performance accessories or components attached to the vehicle which alters the original engineering and/or operating specifications which results or may result in damage to other original components.